

M.P.P.K.V.V.CO.LTD., INDORE

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.6.2017

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.
1	DIST.TRANSFORMERS															
i	25 KVA (Non Star)	Nos.	0	362	0	39	0	112	0	426	0	6	0	0	0	945
ii	25 KVA (3 Star)	Nos.	896	0	823	0	748	0	397	0	610	0	437	0	3911	0
iii	63 KVA	Nos.	0	353	0	560	0	519	0	791	0	121	0	687	0	3031
iv	100 KVA (Non Star)	Nos.	0	2480	0	983	0	502	0	1220	0	1145	0	1237	0	7567
v	100 KVA (3 Star)	Nos.	365	0	276	0	124	0	899	0	226	0	198	0	2088	0
vi	200 KVA (Non Star)	Nos.	0	28	0	63	0	5	0	72	0	26	0	16	0	210
vii	200 KVA (3 Star)	Nos.	0	0	0	0	0	0	7	0	0	0	0	0	7	0
viii	315 KVA	Nos.	0	19	0	0	0	0	26	1	0	1	0	0	26	21
2	POWER X'MERS		NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.
i	1.6 MVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3.15MVA	Nos.	0	16	0	32	0	0	0	46	0	25	0	38	0	157
iii	5.0 MVA	Nos.	0	3	0	0	0	0	0	0	1	0	0	0	0	4
iv	8.0 MVA	Nos.	3	1	0	0	0	0	3	0	0	0	0	0	6	1
v	10.0 MVA	Nos.	3	0	0	0	0	0	0	0	0	0	0	0	3	0
3	CT/PT UNITS		11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV
i	2.5/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	5/5 AMP	Nos.	0	6+29-UT	0	0	0	0	0	0	0	0	0	0	0	35
iii	7.5/5 AMP	Nos.	36	0	1	0	0	0	17	0	0	0	1	0	55	0
iv	10/5 AMP	Nos.	0	17	0	0	0	0	0	0	0	0	0	0	0	17
v	15/5 AMP	Nos.	38	0	0	0	0	0	1	0	0	0	0	0	39	0
vi	20/5 AMP	Nos.	0	17	0	0	0	0	0	0	0	0	0	0	0	17
vii	25/5 AMP	Nos.	4	0	0	0	0	0	3	0	0	0	0	0	7	0
viii	30/5 AMP	Nos.	0	4	0	0	0	0	0	1	0	0	0	0	0	5
ix	50/5 AMP	Nos.	0	20	0	2	0	0	1	4	0	0	0	0	1	26
x	75/5 AMP	Nos.	0	2	0	0	0	0	0	0	0	0	0	0	0	2
xi	100/5 AMP	Nos.	2	30	0	0	0	0	4	0	0	0	0	0	6	30
xii	200/5 AMP	Nos.	2	23	0	0	0	0	0	0	0	0	0	0	2	23
xiii	300/5 AMP	Nos.	0	0	0	0	0	0	0	3	0	0	0	0	0	3
xiv	100-50/5 AMP	Nos.	0	0	0	0	0	0	0	1	0	0	0	0	0	1
xv	300-150/5 AMP	Nos.	1+49 U/T	3	0	0	0	0	0	89	0	33	0	0	50	125
xvi	400-200/5 AMP	Nos.	0	17+29 (U/T)	0	0	0	0	0	0	0	0	0	0	0	46
xvii	200-100/5 AMP	Nos.	0	65	0	0	0	0	56	0	0	0	0	0	56	65
4	CONTROL PANEL		Feeder	X-mer	Feeder	X-mer	Feeder	Capacitor	Feeder	X-mer	Feeder	X-mer	Feeder	X-mer	Feeder	X-mer
i	11KV	Nos.	0	0	0	7	0	11	1	0	8	0	0	0	9	18
ii	33KV	Nos.	0	0	0	4	11	0	0	0	38	8	0	19	42	
5	CABLE COPPER CONTROL		UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.
i	2 Core 2.5 Sq.mm	Mtr.	33395	0	0	0	1000	0	0	0	0	0	0	0	34395	0
ii	3 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	4 Core 2.5 Sq.mm	Mtr.	3924+6810 (U/T)	0	0	0	0	0	2147	0	0	0	0	0	12881	0
iv	8 Core 2.5 Sq.mm	Mtr.	16200-U/T	0.000	0	0	0	0	0	0	0	0	0	0	16200	0
v	12 Core 2.5 Sq.mm	Mtr.	1502	0.000	0	0	0	0	853	0	0	0	0	0	2355	0
vi	10 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	4 Core 24 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	D.O.FUSE ELEMENTS		11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV
i	1.5 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	5 Amp.	No.	0	0	0	0	0	0	1095	0	0	0	0	0	1095	0
iv	7.5 Amp.	No.	0	0	0	0	0	0	1673	0	0	0	0	0	1673	0
v	10 Amp.	No.	0	0	0	0	0	0	3376	0	0	0	0	0	3376	0
vi	15 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	25 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
viii	50 Amp.	No.	0	0	0	0	0	0	0	7486	0	0	0	0	0	7486
ix	75 Amp.	No.	0	0	0	0	0	0	0	3141	0	0	0	0	0	3141
x	100 Amp.	No.	0	0	0	0	0	0	0	1797	0	0	0	0	0	1797

M.P.P.K.V.V.COLTD., INDORE
STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.6.2017

No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL
7	CONDUCTOR								
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	AAAC-03 WEASEL	KM	16.800-UT	0.000	0.000	0.000	16.000	0.000	32.800
iii	AAAC-05 RABBIT	KM	18.178-UT	0.000	0.000	0.000	1.000	0.000	19.178
iv	AAAC-075 RACCON	KM	22.462 + 18,000-UT	14.832	14.398	26.206	10.000	14.400	120.298
v	AAAC-DOG	KM	14.400-UT	0.000	0.000	0.000	0.000	0.000	14.400
vi	AAAC Panther conductor 0.20 sq. inch	KM	7.258	0.000	0	4.004	0.000	0.000	11.262
8	LIGHTING ARRESTERS								
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	0	0	0	0	0	0
ii	11 KV 5 KA - Line type	Nos.	0	0	0	0	0	0	0
iii	33 KV 10 KA - Line type	Nos.	3	0	0	0	0	0	3
iv	11 KV 10 KA - Station type	Nos.	0	0	0	0	0	0	0
9	VCB								
i	11 KV	Nos.	9	8	4	0	17	11	49
ii	33 KV 30V	Nos.	39+29(U/T)	23	10 + 29UT	33	25	18 + 29-UT	235
10	STAY SET								
i	16 MM/Painted	Nos.	2050(U/T)	850	1232	2501	3385	301	10319
ii	20 MM	Nos.	0	0	0	0	0	0	0
11	C.T.s								
i	11 KV CT 200-100/5-5 A	Nos.	3+137 U/T	0	0	50 (U/T)	0	0	190
ii	11 KV CT 300-150/5-5 A	Nos.	0+70 U/T	0	0	2	0	0	72
iii	11 KV CT 400-200/5-5 A	Nos.	0	0	0	0	0	0	0
iv	11 KV CT 600-300/5-5 A	Nos.	3	0	0	0	0	0	3
v	11 KV CT 600-300/5-5-1 A	Nos.	0	0	0	0	0	0	0
vi	33 KV CT 200-100/5-5 A	Nos.	96+137 U/T	0	0	127	0	0	360
vii	33 KV CT 300-150/5-5 A	Nos.	2+71 U/T	0	0	49	0	0	122
viii	33 KV CT 200-100/5-5-1 A	Nos.	2	0	0	0	0	0	2
ix	132 KV CT 50/1	Nos.	1	0	0	0	0	0	1
x	132 KV CT 100/1	Nos.	16	0	0	3	0	0	19
xi	132 KV CT 200/1	Nos.	7	0	0	0	0	0	7
12	P.T.s								
i	11 KV PT	Nos.	126-UT	0	0	126-UT	0	0	252
ii	33 KV PT	Nos.	59	0	0	45	0	0	104
iii	132 KV PT	Nos.	27	0	0	0	0	0	27
13	LT / CT								
i	100/5 AMP	Nos.	198	0	0	100	0	0	298
ii	200/5 AMP	Nos.	0	0	0	0	0	0	0
iii	300/5 AMP	Nos.	0	0	0	0	0	0	0
iv	400/5 AMP	Nos.	0	0	0	0	0	0	0
v	500/5 AMP	Nos.	0	0	0	0	0	0	0
14	Cable - Unarmoured PVC / XLPE Cable								
i	1 C X 16 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
ii	1 C X 25 Sqmm	KM	0.000	0.000	0	0.382 + 45,899UT	1.000	0.000	47.281
	1 C X 50Sq.MM	KM	10.146 UT	0	0	11.155	0	0	21.301
iii	1 C X 70 Sqmm	KM	39.339 U/T	0.000	1.000	41.236 U/T	0.000	0.000	81.575
iv	1 C X 150 Sqmm	KM	25.695 U/T	0	0	30.805 U/T	0.000	0.000	56.500
v	1 C X 300 Sqmm	KM	12.201 U/T	0	0	8.156	0.000	0.000	20.357
vi	4 C X 16 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
vii	4 C X 25 Sqmm	KM	0.000	0	0	6.824	0.000	0.000	6.824
15	Cable - Multicore Armoured PVC Cable								
i	2 C X 2.5 Sqmm	KM	18.010 U/T	0	0	6.054	0.000	0.000	24.064
ii	4 C X 2.5 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
iii	2 C X 4 Sqmm	KM	121.964 U/T	0	0	0.000	0.000	0.000	121.964
iv	4 C X 4 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
v	4 C X 6 Sqmm	KM	0.000	0	0	0.000	0.000	121.037	121.037
vi	4 C X 8 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
vii	4 C X 10 Sqmm	KM	0.000	0	0	1.000	0.000	0.000	1.000
viii	4 C X 16 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
ix	4 C X 25 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
x	3.5 C X 35 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
xi	3.5 C X 70 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
xii	3.5 C X 150 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
xiii	3.5 C X 300 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
16	Cable - HT XLPE Cable								
i	3 C X 70 Sqmm 11 KV	KM	0.000	0	0	0.397	0.000	0.000	0.397
ii	3 C X 185 Sqmm 11 KV	KM	3.116	0	0	0.000	0.000	0.000	3.116
iii	3 C X 300 Sqmm 11 KV	KM	2.629	0	0	2.492	0.000	0.000	5.121
iv	3 C X 185 Sqmm 33 KV	KM	0.000	0	0	2.026	0.000	0.248	2.274
v	3 C X 300 Sqmm 33 KV	KM	0.504	0	0	0.241	0.000	0.000	0.745
17	Cable - LT AB Cable								
	1X25+1X25+1X25	KM	0	0	0	30.992	0	25.041	56.033
	3X16+1X16+1X25	KM	0	0	0	16.070	0	10.033	26.103
i	3X25+1X35 Sqmm	KM	50.962 U/T	0	0.000	123.201	49.000	49.815	272.978
ii	3X25+1X16+1X25 Sqmm	KM	95.459	0	0	50.00-UT	138.000	0.000	283.459
iii	3X35+1X16+1X25 Sqmm	KM	0.000	33.118-UT	0	90.00-UT	0.000	0.000	123.118
iv	3X50+1X16+1X35 Sqmm	KM	109.156	0	0	35.00-UT	133.000	0.000	277.156
v	3X70+1X16+1X50 Sqmm	KM	0.000	0	0	15.000	0.000	0.000	15.000

i	11 KV	Nos.	0	0	0	0	0	0	0
ii	33 KV	Nos.	0	0	0	0	0	0	0
33 ISOLATORS									
i	11 KV	Nos.	130	139	218	134	9	186	816
ii	33 KV	Nos.	0	0	0	2	0	0	2
34 PCC POLES									
i	140 KG	Nos.	2134	3510	0	4122	1638	297	11701
ii	280 KG	Nos.	0	1445	406	116	61	0	2028
iii	350 KG	Nos.	0	16	0	0	0	0	16
35 BATTERY & CHARGER									
i	BATTERY	Nos.	35	0	0	40	0	0	75
ii	BATTERY CHARGER	Nos.	19	0	0	16	0	0	35
36 OIL X-MER									
i	Fresh Oil	KL	43.739	31.032	24.032	15.561	7.000	12.609	133.973
ii	Reclaimed Oil	KL	0.000	0	0	0.000	0.000	0.000	0.000
iii	Burnt Oil	KL	20.000	80.515	20.000	20.000	20.000	60.003	220.518
37 Male Female Contact suitable for									
i	11 KV A.B.Switch	No.	0	0	0	28	53	0	81
ii	33 KV A.B.Switch	No.	0	0	0	0	0	0	0
38 ALU. LUGS									
i	16 Sq.mm	No.	1605	0	0	0	0	0	1605
ii	25 Sq.mm	No.	309	0	0	0	0	0	309
iii	35 Sq.mm	No.	0	0	0	0	0	0	0
iv	70 Sq.mm	No.	15570	0	0	0	0	0	15570
v	150 Sq.mm	No.	42	0	0	0	0	0	42
vi	300 Sq.mm	No.	0	0	0	0	0	0	0
39 (a) DPC Aluminium Round Wire									
i	0.79 mm	Kg.	2053.45	0	0	0.00	0.00	0.00	2053.45
i	0.81 mm	Kg.	2006.14	0	0	0.00	0.00	0.00	2006.14
ii	1.03 mm	Kg.	3279.70	0	0	0.00	0.00	0.00	3279.70
iii	1.25 mm	Kg.	1542.28	0	0	0.00	0.00	0.00	1542.28
iv	1.33 mm	Kg.	11105.900	0	0	0.000	0.00	0.000	11105.90
v	1.60 mm	Kg.	0.00	0	0	0.000	0.00	0.000	0.00
vi	1.70 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
vii	2.00 mm	Kg.	2700.30	0	0	0.00	0.00	0.00	2700.30
viii	2.20 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
39 (b) DPC Aluminium Rectangular Wire									
i	11 X 4 mm	Kg.	1419.55	0	0	0.00	0.00	0.00	1419.55
ii	11 X 5.5 mm	Kg.	3373.14	0	0	0.00	0.00	0.00	3373.14
iii	7.2 X 5.5 mm	Kg.	500.0	0	0	0.0	0.00	0.0	500.00
iv	7.25 X 3.13 mm	Kg.	998.900	0	0	0.0	0.00	0.0	998.90
v	10.6 x 4.6 mm	Kg.	0.000	0	0	0.000	0.00	0.000	0.00
40 (a) DPC Copper Round Wire									
i	1.95 mm dia	Kg.	0.000	0	0	0.000	0.000	0.000	0.00
40 (b) DPC Copper Rectangular Wire									
i	8.4 X 3.7 mm	Kg.	780.75	0	0	0.0	0.0	0.0	780.75
41 HV / LV Brass Stud for Dist.X-mer									
i	LV 20 MM	No.	0	0	0	4705	0	0	4705
ii	HV	No.	0	0	0	0	0	0	0
42 TPC Copper Strips									
		Kg.	0.0	0	0	0.0	0.0	0.0	0
43 Press Board									
i	1 MM	Kg.	700	0	0	0	0	0	700
ii	2 MM	Kg.	0	0	0	695	0	0	695
iii	3 MM	Kg.	0.00	0	0	0.00	0.00	0.00	0
44 Kraft Paper									
		Kg.	0	0	0	0	0	0	0
45 Gasket Sheet									
i	5 MM	No.	0	0	0	0	0	0	0
ii	6 MM	Kg.	0	0	0	0	0	0	0
iii	9 MM	Kg.	0	0	0	0	0	0	0
46 HRC Fuse Base & Link -									
i	Base - 250 Amp.	No.	0	0	0	2900 -U/T	0	0	2900
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	0
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	0
iv	Link - 250 Amp./200 Amp	No.	2683	0	0	1685	0	0	4368
v	Link - 300 Amp.	No.	0	0	0	0	0	0	0
vi	Link - 400 Amp.	No.	0	0	0	0	0	0	0
47 LT Pole Fuse Unit & Robust Fuse Unit									
		No.	2523-UT	282 + 1500UT	563 + 1400UT	2309	0	0	8577
48 Pole Mounted Service connection Box									
i	Single Phase	No.	0	0	0	0	0	0	0
ii	Three Phase	No.	2202	0	600	102	40	100	3044
49 MCB									
i	Single Pole 16 Amp.	No.	14833	255	0	1898	0	0	16986
ii	Three Pole 32 Amp.	No.	6268	0	0	401	0	500	7169
50 Poly Carbonate Meter Box									
i	Single Phase	No.	0	0	0	25043	0	0	25043
ii	Three Phase	No.	1645	903	0	4802	0	0	7350
51 Barbed Wire									
		Kg.	3734	0	4225	2931	0	0	10890
52 Safety Appliances									
i	Cutting Plier	No.	0	0	0	0	0	0	0
ii	Lineman Tool Bag	No.	0	0	0	0	0	0	0
iii	Safety Jhoola Belt	No.	0	0	0	444	0	0	444
iv	Screw Driver	No.	0	0	0	127	0	0	127
53 Hand Gloves									
		No.	0	0	0	0	0	0	0

54	Rubber Ankle Shoes	No.	0	0	0	1174	0	0	1174
55	Liveries Terrycot & Woolen-								
i	Khaki Terrycot	Mtr.	2622.63	0	0	1768.00	0.00	297.00	4687.630
ii	White Terrycot	Mtr.	283.86	0	0	464.00	0.00	70.00	817.860
iii	Blue Woolen	Mtr.	20.25	1.50	0	53.00	0.00	10.00	84.750
iv	Khaki Woolen	Mtr.	9.75	0	0	117.00	0.00	0.00	126.750
v	Khaki Cellular	Mtr.	0.00	0	0	2291.00	0.00	320.00	2611.000
56	Scrap Conductor	Kg.	9735	45610	4103	199203	0	17090	275741
57	Earthing Coil	No.	0	0	0	56	0	0	56
58	Search Light 200/250 W	No.	0	0	0	0	0	0	0
59	MS Nut & Bolt								
i	M.S.Nut Bolt 16 X 200	Kg.	8780	0	0	328	0	0	9108
ii	M.S.Nut Bolt 16 X 160	Kg.	300+7500 U/T	0	0	0	0	0	7800
iii	M.S.Nut Bolt 16 X 140	Kg.	0	0	0	0	0	0	0
iv	M.S.Nut Bolt 16 X 90	Kg.	0	0	0	0	0	0	0
v	M.S.Nut Bolt 16 X 65	Kg.	5100 (U/T)	0	0	0	0	0	5100
vi	M.S.Nut Bolt 12 X 65	Kg.	0	0	0	0	0	0	0
vii	M.S.Nut Bolt 12 X 140	Kg.	1500(U/T)	0	0	0	0	0	1500
viii	M.S.Nut Bolt 12 X 300	Kg.	0	0	0	0	0	0	0
ix	M.S.Nut Bolt 12 X 100	Kg.	1320(U/T)	0	0	0	0	0	1320
x	M.S.Nut Bolt 16 X 250	Kg.	200	0	0	200	0	0	400
60	Clamp & Connector								
i	Suspension Clamp Ass.for LT Cable 25-50	Nos.	0	0	0	200	0	0	200
ii	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	0	0	0	0	0	0	0
iii	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	0	0	0	104	0	0	104
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	0	0	0	0	0	0
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	0	0	0	0	0	0
vi	T-Clamp for Dog	Nos.	0	3124	0	29	0	0	3153
61	11 KV RVT								
i	(RVT) OUTDOOR TYPE	Nos.	59	0	0	0	0	0	59
62	11 KV CAPACITOR SWITCH								
i	11 KV Outdoor Automatic Capacitor switch	Nos.	40	0	0	0	0	0	40
63	LT CT Meter Box								
i	LT CT Meter Box	Nos.	477	0	0	0	0	0	477
64	HT Meter Box								
i	HT Meter Box	Nos.	0	0	0	0	0	0	0
65	BI-METALLIC CLAMPS								
i	LV	No.	20	0	0	0	0	0	20
ii	HV	No.	0	0	0	0	0	0	0