

## M.P.P.K.V.V.CO.LTD., INDORE

## STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.10.2017

No.	NAME OF MATERIALS	UNI	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.
<b>1</b>	<b>DIST.TRANSFORMERS</b>															
i	25 KVA (Non Star)	Nos.	0	116	0	0	0	57	0	21	0	0	0	0	0	194
ii	25 KVA (3 Star)	Nos.	685	0	368	0	323	0	552	0	204	0	958	0	3090	0
iii	63 KVA	Nos.	0	112	0	331	0	310	0	641	0	34	0	414	0	1842
iv	100 KVA (Non Star)	Nos.	0	2192	0	604	0	344	0	911	0	1013	0	742	0	5806
v	100 KVA (3 Star)	Nos.	934	0	552	0	249	0	795	0	279	0	128	0	2937	0
vi	200 KVA (Non Star)	Nos.	0	11	0	43	0	7	0	18	0	4	0	0	0	83
vii	200 KVA (3 Star)	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
viii	315 KVA	Nos.	0	1	0	0	0	0	19	0	0	0	0	0	19	1
<b>2</b>	<b>POWER X'MERS</b>															
i	1.6 MVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3.15MVA	Nos.	0	15	0	30	0	0	0	42	0	25	0	38	0	150
iii	5.0 MVA	Nos.	0	0	0	0	0	0	3	0	0	1	0	0	3	1
iv	8.0 MVA	Nos.	2	1	0	0	0	0	3	0	0	0	0	0	5	1
v	10.0 MVA	Nos.	3	0	0	0	0	0	0	0	0	0	0	0	3	0
<b>3</b>	<b>CT/PT UNITS</b>		<b>11KV</b>	<b>33KV</b>	<b>11KV</b>	<b>33KV</b>	<b>11KV</b>	<b>33KV</b>	<b>11KV</b>	<b>33KV</b>	<b>11KV</b>	<b>33KV</b>	<b>11KV</b>	<b>33KV</b>	<b>11KV</b>	<b>33KV</b>
i	2.5/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	5/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	7.5/5 AMP	Nos.	4	0	1	0	0	0	16	0	0	0	1	0	22	0
iv	10/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	15/5 AMP	Nos.	24	0	0	0	0	0	0	0	0	0	0	0	24	0
vi	20/5 AMP	Nos.	0	2	0	0	0	0	0	0	0	0	0	0	0	2
vii	25/5 AMP	Nos.	4	0	0	0	0	0	2	0	0	0	0	0	6	0
viii	30/5 AMP	Nos.	0	3	0	0	0	0	1	1	0	0	0	0	0	4
ix	50/5 AMP	Nos.	0	15	0	2	0	0	1	3	0	0	0	0	1	20
x	75/5 AMP	Nos.	0	2	0	0	0	0	0	0	0	0	0	0	0	2
xi	100/5 AMP	Nos.	2	30	0	0	0	0	4	0	0	0	0	0	6	30
xii	200/5 AMP	Nos.	0	20	0	0	0	0	0	0	0	0	0	0	0	20
xiii	300/5 AMP	Nos.	0	0	0	0	0	0	0	3	0	0	0	0	0	3
	400/5 AMP	Nos.	0	12	0	0	0	0	0	0	0	0	0	0	0	12
xiv	100-50/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
xv	300-150/5 AMP	Nos.	2	0	0	0	0	0	0	59	0	32	0	0	2	91
xvi	400-200/5 AMP	Nos.	0	35	0	0	0	0	0	0	0	0	0	0	0	35
xvii	200-100/5 AMP	Nos.	0	40	0	0	0	0	1	29 (U/T)	0	0	0	0	1	69
<b>4</b>	<b>CONTROL PANEL</b>		<b>Feeder</b>	<b>X-mer</b>	<b>Feeder</b>	<b>X-mer</b>	<b>Feeder</b>	<b>Capacitor</b>	<b>Feeder</b>	<b>X-mer</b>	<b>Feeder</b>	<b>X-mer</b>	<b>Feeder</b>	<b>X-mer</b>	<b>Feeder</b>	<b>X-mer</b>
i	11KV	Nos.	0	0	0	7	0	11	0	0	7	0	8	0	15	18
ii	33KV	Nos.	0	3	0	0	1	0	0	0	0	1	0	0	1	4
<b>5</b>	<b>CABLE COPPER CONTROL</b>		<b>UN-AR.</b>	<b>ARMD.</b>	<b>UN-AR.</b>	<b>ARMD.</b>	<b>UN-AR.</b>	<b>ARMD.</b>	<b>UN-AR.</b>	<b>ARMD.</b>	<b>UN-AR.</b>	<b>ARMD.</b>	<b>UN-AR.</b>	<b>ARMD.</b>	<b>UN-AR.</b>	<b>ARMD.</b>
i	2 Core 2.5 Sq.mm	Mtr.	36830	0	0	0	0	0	0	0	0	0	0	0	36830	0
ii	3 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	4 Core 2.5 Sq.mm	Mtr.	6300	0	0	0	0	0	6760	0	0	0	0	0	12881	0
iv	8 Core 2.5 Sq.mm	Mtr.	46338	0.000	0	0	0	0	13165	0	0	0	0	0	16200	0
v	12 Core 2.5 Sq.mm	Mtr.	2907	0.000	0	0	0	0	302	0	0	0	0	0	3209	0
vi	10 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	4 Core 24 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>6</b>	<b>D.O.FUSE ELEMENTS</b>		<b>11 KV</b>	<b>33 KV</b>	<b>11 KV</b>	<b>33 KV</b>	<b>11 KV</b>	<b>33 KV</b>	<b>11 KV</b>	<b>33 KV</b>	<b>11 KV</b>	<b>33 KV</b>	<b>11 KV</b>	<b>33 KV</b>	<b>11 KV</b>	<b>33 KV</b>
i	1.5 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	5 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	7.5 Amp.	No.	0	0	0	0	0	0	673	0	0	0	0	0	673	0
v	10 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi	15 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	25 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
viii	50 Amp.	No.	0	0	0	0	0	0	0	4786	0	0	0	0	0	4786
ix	75 Amp.	No.	0	0	0	0	0	0	0	1741	0	0	0	0	0	1741
x	100 Amp.	No.	0	0	0	0	0	0	0	1047	0	0	0	0	0	1047

**M.P.K.V.V.CO.LTD., INDORE**

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.10.2017**

No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL
<b>7</b>	<b>CONDUCTOR</b>								
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0	0.000	0.000	0.000	<b>0.000</b>
ii	AAAC-03 WEASEL (under testing quantity to be returned to M/s.APAR which is found failed)	KM	16.258 + 33.600 - Rej.	0.000	41.998- Rej.	0.000	2.000	42 - Rej.	<b>135.856</b>
iii	AAAC-05 RABBIT	KM	132.000	0.000	77.936 UT	18.000	1.000	101.916	<b>252.916</b>
iv	AAAC-075 RACCON	KM	108.862	28.800	39.600	123.406	52.800	46.800	<b>400.268</b>
v	AAAC-DOG	KM	38.400	4.800	0.000	109.200	14.400	0.000	<b>166.800</b>
vi	AAAC Panther conductor 0.20 sq. inch	KM	7.258	0.000	0	4.004	0.000	0.000	<b>11.262</b>
<b>8</b>	<b>LIGHTING ARRESTERS</b>								
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	0	230 - U/T	0	0	0	<b>230</b>
ii	11 KV 5 KA - Line type	Nos.	0	0	310 - U/T	0	0	230 - U/T	<b>540</b>
iii	33 KV 10 KA - Line type	Nos.	0	0	0	0	0	310 - U/T	<b>310</b>
iv	11 KV 10 KA - Station type	Nos.	460-U/T	0	0	0	0	0	<b>460</b>
<b>9</b>	<b>VCB</b>								
i	11 KV	Nos.	0	0	0	0	0	0	<b>0</b>
ii	33 KV 30V	Nos.	49	18	39	27	22	38	<b>193</b>
<b>10</b>	<b>STAY SET</b>								
i	16 MM/Painted	Nos.	3096	52	6116	2834	1010	3763	<b>16871</b>
ii	20 MM	Nos.	0	0	0	0	0	0	<b>0</b>
<b>11</b>	<b>C.T.s</b>								
i	11 KV CT 200-100/5-5 A	Nos.	106 (U/T)	0	0	0	0	0	<b>106</b>
ii	11 KV CT 300-150/5-5 A	Nos.	35 (U/T)	0	0	0	0	0	<b>35</b>
iii	11 KV CT 400-200/5-5 A	Nos.	0	0	0	0	0	0	<b>0</b>
iv	11 KV CT 600-300/5-5 A	Nos.	0	0	0	0	0	0	<b>0</b>
v	11 KV CT 600-300/5-5-1 A	Nos.	0	0	0	0	0	0	<b>0</b>
vi	33 KV CT 200-100/5-5 A	Nos.	104	0	0	53	0	0	<b>157</b>
vii	33 KV CT 300-150/5-5 A	Nos.	7	0	0	0	0	0	<b>7</b>
viii	33 KV CT 200-100/5-5-1 A	Nos.	2	0	0	0	0	0	<b>2</b>
ix	132 KV CT 50/1	Nos.	1	0	0	0	0	0	<b>1</b>
x	132 KV CT 100/1	Nos.	16	0	0	3	0	0	<b>19</b>
xi	132 KV CT 200/1	Nos.	7	0	0	0	0	0	<b>7</b>
<b>12</b>	<b>P.T.s</b>								
i	11 KV PT	Nos.	18	0	0	36 (U/T)	0	0	<b>54</b>
ii	33 KV PT	Nos.	56	0	0	36 (U/T)	0	0	<b>92</b>
iii	132 KV PT	Nos.	22	0	0	0	0	0	<b>22</b>
<b>13</b>	<b>LT / CT</b>								
i	100/5 AMP	Nos.	122	0	0	100	0	0	<b>222</b>
ii	200/5 AMP	Nos.	0	0	0	0	0	0	<b>0</b>
iii	300/5 AMP	Nos.	0	0	0	0	0	0	<b>0</b>
iv	400/5 AMP	Nos.	0	0	0	0	0	0	<b>0</b>
v	500/5 AMP	Nos.	0	0	0	0	0	0	<b>0</b>
<b>14</b>	<b>Table - Unarmoured PVC / XLPE Cable</b>								
i	1 C X 16 Sqmm	KM	0.000	0.000	0	0.000	0.000	0.000	<b>0.000</b>
ii	1 C X 25 Sqmm	KM	110.000	110 - U/T	0	24.778	41.147	38.780 - U/T	<b>324.705</b>
	1 C X 50 Sqmm	KM	14.000	14 - U/T	0	0	21.735	21.719 - U/T	<b>71.454</b>
iii	1 C X 70 Sqmm	KM	58.020	50.998 - U/T	66.350	11.397	59.427	75.074 - U/T	<b>321.266</b>
iv	1 C X 150 Sqmm	KM	33.000	31.998 - U/T	46.070	5.136	43.219	56.859 - U/T	<b>216.282</b>
v	1 C X 300 Sqmm	KM	7.000	7 -U/T	0	0.085	8.106	10.730 -U/T	<b>32.921</b>
vi	4 C X 16 Sqmm	KM	0.000	0.000	0	0.000	0.000	0.000	<b>0.000</b>
vii	4 C X 25 Sqmm	KM	0.000	0.000	0	6.824	0.000	0.000	<b>6.824</b>
<b>15</b>	<b>Table - Multicore Armoured PVC Cable</b>								
i	2 C X 2.5 Sqmm	KM	7.023	0	0	0.000	0.000	0.000	<b>7.023</b>
ii	4 C X 2.5 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	<b>0.000</b>
iii	2 C X 4 Sqmm	KM	138.963	0	0	0.000	0.000	0.000	<b>138.963</b>
iv	4 C X 4 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	<b>0.000</b>
v	4 C X 6 Sqmm	KM	0.000	0	0	0.000	0.000	121.037	<b>121.037</b>
<b>16</b>	<b>Table - HT XLPE Cable</b>								
i	3 C X 70 Sqmm 11 KV	KM	0.000	0	0	0.397	0.000	0.000	<b>0.397</b>
ii	3 C X 185 Sqmm 11 KV	KM	27.437	0	0	0.000	0.000	0.000	<b>27.437</b>
iii	3 C X 300 Sqmm 11 KV	KM	2.377	0	0	2.492	0.000	0.000	<b>4.869</b>
iv	3 C X 185 Sqmm 33 KV	KM	0.000	0	0	2.026	0.000	0.000	<b>2.026</b>
v	3 C X 300 Sqmm 33 KV	KM	0.000	0	0	0.241	0.000	0.000	<b>0.241</b>
<b>17</b>	<b>Table - LT AB Cable</b>								
	1X25+1X25+1X25 Sq.mm	KM	80.500	45.000	0	0	0.000	0.000	<b>125.500</b>
	3X16+1X16+1X25 Sq.mm	KM	6.700	0	0	16.070	0.000	0.000	<b>22.770</b>
	3X25+1X16+1X35 Sq.mm	KM	49.417(U/T)	0	0	93.060	0.000	0.000	<b>142.477</b>
	3X35+1X16+1X35 Sq.mm	KM	89.004(U/T)	0	0	85.154	0.000	0.000	<b>174.158</b>
	3X25+1X25+1X25	KM	0	0	0	30.495	0.000	0.000	<b>30.495</b>
i	3X25+1X35 Sqmm	KM	184.909	60.000	0.000	90.308	40.974	14.924	<b>391.115</b>
ii	3X25+1X16+1X25 Sqmm	KM	41.796	0.967	0	0.000	91.739	10.033	<b>144.535</b>
iii	3X35+1X16+1X25 Sqmm	KM	0.000	87.624	0	0.000	0.000	0.000	<b>87.624</b>
iv	3X50+1X16+1X35 Sqmm	KM	63.499 + 34.505U/T	28.603	0	0.000	94.480	0.000	<b>221.087</b>
v	3X70+1X16+1X50 Sqmm	KM	22.800	15 - U/T	0	0.499	0.000	0.000	<b>38.798</b>
vi	3X95+1X16+1X70 Sqmm	KM	14.000	13 - U/T	0	0.000	0.000	3.500	<b>30.500</b>
<b>18</b>	<b>STEEL SECTIONS</b>								
i	Rail Pole	MT	0.00	0	3.280	0.00	0.00	0.00	<b>3.280</b>
ii	H-Beam 152 x 152 mm	MT	0.799	55.745 + 75.140 - U/T	195.060	156.190	10.795	167.700	<b>661.429</b>
iii	RS Joist 175 x 85 mm	MT	217.015	47.891	63.990	80.460	123.590	0.000	<b>532.946</b>
iv	MS Angle 75 x 75 x 6 mm	MT	8.420	0	0	0.000	0.000	3.000	<b>11.420</b>
v	MS Angle 65 x 65 x 6 mm	MT	321.389	30.125 + 73.040 - U/T	69.380	79.144	17.393	105.975	<b>696.446</b>
vi	MS Angle 50 x 50 x 6 mm	MT	53.190	12.790	1.990	24.768	12.194	22.145	<b>127.077</b>
vii	MS Channel 100 x 50 x 5 mm	MT	72.852	0.000	7.070	50 (U/T)	0.383	107.325	<b>237.630</b>
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	0.000	0	0.000	0.000	39.070	<b>39.070</b>
ix	MS Channel 65 x 65 x 6 mm	MT	0.00	0	0	0.00	0.00	0.00	<b>0.000</b>

**M.P.K.V.V.CO.LTD., INDORE**  
**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.10.2017**

No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL
x	MS Flat 75 x 6 mm	MT	1.550	0	0	0.000	0.000	0.000	1.550
xi	MS Flat 65 x 8 mm	MT	98.765	20.000	11.070	47.527	0.000	10.960	188.322
xii	MS Flat 50 x 6 mm	MT	29.705	0.000	8.690	0.000	9.920	22.480	70.795
<b>19</b>	<b>GI WIRES</b>								
i	6 SWG	MT	65.280	0	1.930	74.625	0.000	0.000	141.835
ii	8 SWG	MT	34.43	22.58	35.690	49.380	14.724	37.085	193.885
iii	10 SWG	MT	5.679	0	0	4.367	0.000	0.000	10.046
<b>20</b>	<b>STAY WIRES</b>								
i	7/8 SWG	MT	0.000	0	0	0.000	0.000	0.000	0.000
ii	7/10 SWG	MT	61.604	22.366	47.940	66.423	27.200	88.044	313.577
<b>21</b>	<b>HARDWARES</b>								
i	LT SHACKLE H/W 90X75	Nos.	38560	0	0	0	0	0	38560
ii	11 KV H/W	Nos.	0	0	0	0	0	0	0
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0
iv	33 KV H/W (Panther)	Nos.	0	0	0	0	0	0	0
<b>22</b>	<b>INSULATORS</b>								
i	SHACKLE 90 X 75	Nos.	40351	0	0	0	0	0	40351
ii	SHACKLE 65 X 50	Nos.	45363	0	0	588	0	0	45951
iii	STAY INSULATOR 90X65	Nos.	2716	0	0	0	0	0	2716
vii	11 KV Polymer Pin Insulator	Nos.	0	2500 - U/T	3523	7500(U/T)	580	7000 - U/T	21103
viii	33 KV Polymer Pin Insulator	Nos.	0	0	0	742 (U/T)	10	0	752
ix	11 KV Polymer Disc Insulator 45 KN	Nos.	0	1500 - U/T	2500 UT	4780(U/T)	0	2991 - U/T	11771
x	33 KV Polymer Disc Insulator	Nos.	0	968	0	0	0	0	968
<b>23</b>	<b>DO SETS</b>								
i	11 KV	Nos.	5590 (U/T)	1985	2035	814 + 3000U/T	4481	2200 + 1398U/T	21503
ii	33 KV	Nos.	158	47	50	100	0	50	405
<b>24</b>	<b>AB SWITHCES</b>								
i	33 KV	Nos.	0	0	0	0	0	0	0
ii	11 KV 1 PHASE	Nos.	0	0	0	0	0	0	0
iii	11 KV 3 PHASE	Nos.	0	0	0	25	21	40	86
<b>25</b>	<b>DIST. BOXES</b>								
i	25 KVA	Nos.	0	0	0	0	0	0	0
ii	63 KVA	Nos.	0	0	0	3	0	0	3
iii	100 KVA	Nos.	29	35	106	156	101	205	632
iv	200 KVA	Nos.	155 + 228(U/T)	0	0	59	1	0	443
v	315 KVA	Nos.	0	0	0	2	0	0	2
<b>26</b>	<b>CAPACITORS</b>								
i	121 KVAR	Nos.	131+116 (U/T)	0	0	116 (U/T)	0	0	363
ii	242 KVAR	Nos.	42+42 (U/T)	0	0	42 (U/T)	0	0	126
<b>27</b>	<b>PC CUT OUT</b>								
i	63 AMP.	Nos.	0	0	0	0	0	0	0
ii	100 AMP.	Nos.	0	0	0	691	0	0	691
iii	200 AMP.	Nos.	0	6993	0	0	7700	0	14693
iv	300 AMP.	Nos.	0	0	0	0	0	0	0

**M.P.K.V.V.CO.LTD., INDORE**  
**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.10.2017**

No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL
<b>28</b>	<b>METER NEW ELECTRONIC</b>								
i	1 PHASE 5-30 Amp.	Nos.	32687	2372	8528	20750	10000	2508	76845
ii	3 PHASE 10-40 Amp.	Nos.	5841	2537	1588	7843	2954	1418	22181
iii	3 PHASE 20-100 Amp.	Nos.	6	0	0	0	0	0	6
iv	Whole Current 40-200 Amp.	Nos.	21	0	0	0	0	0	21
v	LT C.T. Meter 100/5 Amp.	Nos.	5	0	0	0	0	0	5
vi	HT Meter - 110 V	Nos.	0	0	0	0	0	0	0
vii	HT Meter - 110 V S/S.	Nos.	399	0	0	0	0	0	399
<b>29</b>	<b>MAIN SWITCHES</b>								
i	32 AMP.	Nos.	0	0	7	505	0	2653	3165
ii	63 AMP.	Nos.	18	0	8	1274	680	705	2685
iii	100 AMP.	Nos.	1468	0	0	2357	0	0	3825
iv	200 AMP.	Nos.	469 + 188(U/T)	0	0	772	0	0	1429
v	320 AMP.	Nos.	0	0	0	0	0	0	0
vi	400 AMP.	Nos.	0	0	0	0	0	0	0
<b>30</b>	<b>G.I. PINS</b>								
i	11 KV	Nos.	0	0	2058	0	0	0	2058
ii	33 KV	Nos.	0	0	0	0	0	0	0
<b>31</b>	<b>G.I.CONDUIT PIPE</b>								
i	20 MM	Mtr.	0	0	0	0	0	0	0
ii	40 MM	Mtr.	17808	8054	6305	14809	12459	10743	70178
<b>33</b>	<b>ISOLATORS</b>								
i	11 KV	Nos.	98	139	218	119	9	186	769
ii	33 KV	Nos.	4	0	0	0	0	0	4
<b>34</b>	<b>PCC POLES</b>								
i	140 KG	Nos.	460	0	0	0	138	0	598
ii	280 KG	Nos.	0	1253	0	110	61	0	1424
iii	350 KG	Nos.	0	16	0	0	0	0	16
<b>35</b>	<b>BATTERY &amp; CHARGER</b>								
i	BATTERY	Nos.	19	0	0	0	0	4	23
ii	BATTERY CHARGER	Nos.	0	0	0	0	0	0	0
<b>36</b>	<b>OIL X-MER</b>								
i	Fresh Oil	KL	0.000	15.000	0.000	0.000	0.000	0.000	15.000
ii	Reclaimed Oil	KL	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	Burnt Oil	KL	0.000	78.000	85.000	47.861	34.000	51.203	296.064
<b>37</b>	<b>Male Female Contact suitable for</b>								
i	11 KV A.B.Switch	No.	625	0	0	1673	0	0	2298
ii	33 KV A.B.Switch	No.	30	0	0	0	0	0	30
<b>38</b>	<b>ALU. LUGS</b>								
i	16 Sq.mm	No.	0	0	0	0	0	0	0
ii	25 Sq.mm	No.	0	0	0	0	0	0	0
iii	35 Sq.mm	No.	0	0	0	0	0	0	0
iv	70 Sq.mm	No.	0	0	0	0	0	0	0
v	150 Sq.mm	No.	0	0	0	0	0	0	0
vi	300 Sq.mm	No.	0	0	0	0	0	0	0
<b>39 (a)</b>	<b>DPC Aluminium Round Wire</b>								
i	0.79 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
ii	0.81 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
iii	1.03 mm	Kg.	3279.70	0	0	0.00	0.00	0.00	3279.70
iv	1.25 mm	Kg.	1172.28	0	0	0.00	0.00	0.00	1172.28
v	1.33 mm	Kg.	11105.900	0	0	0.000	0.00	0.000	11105.90
vi	1.60 mm	Kg.	0.000	0	0	0.000	0.00	0.000	0.00
vii	1.70 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
viii	2.00 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
viii	2.20 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
<b>39 (b)</b>	<b>DPC Aluminium Rectangular Wire</b>								
i	11 X 4 mm	Kg.	1325.25	0	0	0.00	0.00	0.00	1325.25
ii	11 X 5.5 mm	Kg.	3250.49	0	0	0.00	0.00	0.00	3250.49
iii	7.2 X 5.5 mm	Kg.	0.0	0	0	0.0	0.00	0.0	0.00
iv	7.25 X 3.13 mm	Kg.	0.0	0	0	0.0	0.00	0.0	0.00
v	10.6 x 4.6 mm	Kg.	678.300	0	0	0.000	0.00	0.000	678.30
<b>40 (a)</b>	<b>DPC Copper Round Wire</b>								
i	1.95 mm dia	Kg.	0.000	0	0	0.000	0.000	0.000	0.00
<b>40 (b)</b>	<b>DPC Copper Rectangular Wire</b>								
i	8.4 X 3.7 mm	Kg.	780.75	0	0	0.0	0.0	0.0	780.75
<b>41</b>	<b>HV / LV Brass Stud for Dist.X-mer</b>								
i	LV 20 MM	No.	0	0	0	3325	0	0	3325
ii	HV	No.	0	0	0	1500	0	0	1500
<b>42</b>	<b>TPC Copper Strips</b>	Kg.	0.0	0	0	0.0	0.0	0.0	0
<b>43</b>	<b>Press Board</b>								
i	1 MM	Kg.	300	0	0	0	0	0	300
ii	2 MM	Kg.	0	0	0	495	0	0	495
iii	3 MM	Kg.	0.00	0	0	0.00	0.00	0.00	0
<b>44</b>	<b>Kraft Paper</b>	Kg.	0	0	0	0	0	0	0
<b>45</b>	<b>Gasket Sheet</b>								
i	5 MM	No.	0	0	0	0	0	0	0
ii	6 MM	Kg.	0	0	0	0	0	0	0
iii	9 MM	Kg.	0	0	0	0	0	0	0
<b>46</b>	<b>HRC Fuse Base &amp; Link -</b>								
i	Base - 250 Amp.	No.	0	0	0	550	0	0	550
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	0
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	0
iv	Link - 250 Amp./200 Amp	No.	1043	0	0	1385	0	0	2428
v	Link - 300 Amp.	No.	0	0	0	0	0	0	0

