

M.P.P.K.V.V.CO.LTD., INDORE

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.11.2017

No.	NAME OF MATERIALS	UNI	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL
7	CONDUCTOR								
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	AAAC-03 WEASEL	KM	7.858	0.000	0.000	0.000	2.000	0.000	9.858
iii	AAAC-05 RABBIT	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iv	AAAC-075 RACCON	KM	97.776	28.800	39.600	123.406	52.800	46.800	389.182
v	AAAC-DOG	KM	38.400	4.800	0.000	109.200	14.400	0.000	166.800
vi	AAAC Panther conductor 0.20 sq. inch	KM	7.258	0.000	0	4.004	0.000	0.000	11.262
8	LIGHTING ARRESTERS								
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	0	230 - U/T	230 (UT)	0	0	460
ii	11 KV 5 KA - Line type	Nos.	0	0	310 - U/T	0	0	230 - U/T	540
iii	33 KV 10 KA - Line type	Nos.	0+410 U/T	310 - U/T	0	410 (U/T)	0	310 - U/T	1440
iv	11 KV 10 KA - Station type	Nos.	0+690 U/T		0	200 (U/T)	0	0	890
9	VCB								
i	11 KV	Nos.	0	0	0	0	0	0	0
ii	33 KV 30V	Nos.	48	14	40	24	22	38	186
10	STAY SET								
i	16 MM/Painted	Nos.	1445	0	0	1573	610	2838	6466
ii	20 MM	Nos.	0	0	0	0	0	0	0
11	C.T.s								
i	11 KV CT 200-100/5-5 A	Nos.	2	0	0	0	0	0	2
ii	11 KV CT 300-150/5-5 A	Nos.	16	0	0	0	0	0	16
iii	11 KV CT 400-200/5-5 A	Nos.	0	0	0	0	0	0	0
iv	11 KV CT 600-300/5-5 A	Nos.	0	0	0	0	0	0	0
v	11 KV CT 600-300/5-5-1 A	Nos.	0	0	0	0	0	0	0
vi	33 KV CT 200-100/5-5 A	Nos.	52	0	0	13	0	0	65
vii	33 KV CT 300-150/5-5 A	Nos.	7	0	0	0	0	0	7
viii	33 KV CT 200-100/5-5-1 A	Nos.	2	0	0	0	0	0	2
ix	132 KV CT 50/1	Nos.	1	0	0	0	0	0	1
x	132 KV CT 100/1	Nos.	16	0	0	3	2	0	21
xi	132 KV CT 200/1	Nos.	7	0	0	0	5	0	12
12	P.T.s								
i	11 KV PT	Nos.	39	0	0	0	0	0	39
ii	33 KV PT	Nos.	56	0	0	36 -U/T	0	0	56
iii	132 KV PT	Nos.	22	0	0	0	6	0	28
13	LT / CT								
i	100/5 AMP	Nos.	54	0	0	0	0	0	54
ii	200/5 AMP	Nos.	0	0	0	0	0	0	0
iii	300/5 AMP	Nos.	0	0	0	0	0	0	0
iv	400/5 AMP	Nos.	0	0	0	0	0	0	0
v	500/5 AMP	Nos.	0	0	0	0	0	0	0
14	Cable - Unarmoured PVC / XLPE Cable								
i	1 C X 16 Sqmm	KM	0.000	0.000	0	0.000	0.000	0.000	0.000
ii	1 C X 25 Sqmm	KM	100.000	91.495 - U/T	0	24.778 + 130 - U/T	34.965	38.780 - U/T	420.018
iii	1 C X 50 Sqmm	KM	14	14 - UT	0	70 - U/T	21.735	21.219 - U/T	140.954
iv	1 C X 70 Sqmm	KM	68.999	40.495 - U/T	58.144	11.397+ 128 - U/T	59.427	71.574 - U/T	438.036
v	1 C X 150 Sqmm	KM	34.988	21.499 - U/T	41.880	3.060 + 43.0 - U/T	43.219	51.859 - U/T	239.505
vi	1 C X 300 Sqmm	KM	7.000	3.996 - U/T	0	2 - U/T	8.106	7.230 - U/T	28.332
vii	4 C X 16 Sqmm	KM	0.000	0.000	0	0.000	0.000	0.000	0.000
viii	4 C X 25 Sqmm	KM	0.000	0.000	0	6.824	0.000	0.000	6.824
15	Cable - Multicore Armoured PVC Cable								
i	2 C X 2.5 Sqmm	KM	6.023	0	0	0.000	0.000	0.000	6.023
ii	4 C X 2.5 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
iii	2 C X 4 Sqmm	KM	121.991	0	0	0.000	0.000	0.000	121.991
iv	4 C X 4 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
v	4 C X 6 Sqmm	KM	0.000	0	0	0.000	0.000	121.037	121.037
vi	4 C X 8 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
vii	4 C X 10 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
16	Cable - HT XLPE Cable								
i	3 C X 70 Sqmm 11 KV	KM	0.000	0	0	0.397	0.000	0.000	0.397
ii	3 C X 185 Sqmm 11 KV	KM	27.437	0	0	0.000	0.000	0.000	27.437
iii	3 C X 300 Sqmm 11 KV	KM	2.377	0	0	2.492	0.000	0.000	4.869
iv	3 C X 185 Sqmm 33 KV	KM	0.000	0	0	2.026	0.000	0.000	2.026
v	3 C X 300 Sqmm 33 KV	KM	0.000	0	0	0.241	0.000	0.000	0.241
17	Cable - LT AB Cable								
i	1X25+1X25+1X25 Sqmm	KM	80.500	45.000	0	38.990- U/T	0	0	164.490
ii	3X25+1X35+1X16	KM	49.417	0	0	86.048	0	0	135.465

M.P.P.K.V.V.CO.LTD., INDORE

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.11.2017

No.	NAME OF MATERIALS	UNI	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL
iii	3X25+1X25+1X25	KM	0	0	0	30.495	0	0	30.495
iv	3X16+1X16+1X25	KM	6.70	0	0	16.07	0	0	22.770
v	3X35+1X35+1X16	KM	89.004	0	0	85.154	0	0	174.158
vi	3X25+1X35 Sqmm	KM	155.232	60.000	0.000	90.308	36.967	14.924	357.431
vii	3X25+1X16+1X25 Sqmm	KM	5.616	0.967	0	0.000	91.739	10.033	108.355
viii	3X35+1X16+1X25 Sqmm	KM	0.000	85.619	0	0.000	0.000	0.000	85.619
ix	3X50+1X16+1X35 Sqmm	KM	97.007	28.603	0	0.000	94.480	0.000	220.090
x	3X70+1X16+1X50 Sqmm	KM	22.800	15.000	0	0.499	0.000	0.000	38.299
xi	3X95+1X16+1X70 Sqmm	KM	14.000	13.000	0	15.065-U/T	0.000	3.500	45.565
18	STEEL SECTIONS								
i	Rail Pole	MT	0.00	0	3.280	0.00	0.00	0.00	3.280
ii	H-Beam 152 x 152 mm	MT	0.799	17.445 + 75.140 - U/T	165.880	147.181	169.770	167.700	743.915
iii	RS Joist 175 x 85 mm	MT	204.615	47.891	61.230	80.460	121.405	0.000	515.601
iv	MS Angle 75 x 75 x 6 mm	MT	8.420	0	0	0.000	0.000	3.000	11.420
v	MS Angle 65 x 65 x 6 mm	MT	286.457	1.110 + 73.040 - U/T	50.640	74.464	52.940	91.510	630.161
vi	MS Angle 50 x 50 x 6 mm	MT	53.190	12.790	1.990	19.853	12.194	22.145	122.162
vii	MS Channel 100 x 50 x 5 mm	MT	0.000	0.000	0.970	30.000	26.995	58.320	116.285
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	0.000	0	0.000	0.000	39.070	39.070
ix	MS Channel 65 x 65 x 6 mm	MT	0.00	0	0	0.00	0.00	0.00	0.000
x	MS Flat 75 x 6 mm	MT	1.550	0	0	0.000	0.000	0.000	1.550
xi	MS Flat 65 x 8 mm	MT	98.765	20.000	11.070	47.527	9.990	10.960	198.312
xii	MS Flat 50 x 6 mm	MT	21.157	0.000	5.330	0.000	7.640	11.280	45.407
19	GI WIRES								
i	6 SWG	MT	65.280	0	1.930	74.625	0.505	0.000	142.340
ii	8 SWG	MT	32.43	20.642	35.690	47.740	12.333	37.085	185.916
iii	10 SWG	MT	5.679	0	0	4.367	1.200	0.000	11.246
20	STAY WIRES								
i	7/8 SWG	MT	0.000	0	0	0.000	0.000	0.000	0.000
ii	7/10 SWG	MT	41.154	16.286	43.870	66.423	27.200	79.474	274.407
21	HARDWARES								
i	LT SHACKLE H/W 90X75	Nos.	38264	0	0	0	0	0	38264
ii	11 KV H/W	Nos.	0	0	0	0	0	0	0
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0
iv	33 KV H/W (Panther)	Nos.	0	0	0	0	0	0	0
22	INSULATORS								
i	SHACKLE 90 X 75	Nos.	39924	0	0	0	0	0	39924
ii	SHACKLE 65 X 50	Nos.	45363	0	0	588	0	0	45951
iii	STAY INSULATOR 90X65	Nos.	2216	0	0	0	0	0	2216
vii	11 KV Polymer Pin Insulator	Nos.	0	606 - U/T	162	6000-U/T	1303	6700 - U/T	14771
viii	33 KV Polymer Pin Insulator	Nos.	0	0	0	742 - U/T	10	0	752
ix	11 KV Polymer Disc Insulator 45 KN	Nos.	2281	20 - U/T	0	2000-U/T	232	2691 - U/T	7224
x	33 KV Polymer Disc Insulator	Nos.	0	668+705-U/T	0	0	0	0	1373
23	DO SETS								
i	11 KV	Nos.	0+2633 U/T	1470	0	475	4081	2778	11437
ii	33 KV	Nos.	158	47	44	100	0	50	399
24	AB SWITHCES								
i	33 KV	Nos.	0+100 U/T	0	0	75 (U/T)	0	0	175
ii	11 KV 1 PHASE	Nos.	0	0	0	0	0	0	0
iii	11 KV 3 PHASE	Nos.	0	0	0	16	21	40	77
25	DIST. BOXES								
i	25 KVA	Nos.	0	0	0	0	0	0	0
ii	63 KVA	Nos.	0	0	0	3	0	0	3
iii	100 KVA	Nos.	23	35	81	156	101	205	601
iv	200 KVA	Nos.	218+50-U/T	0	0	59	1	0	328
v	315 KVA	Nos.	0	0	0	2	0	0	2
26	CAPACITORS								
i	121 KVAR	Nos.	116+116UT	0	0	116	0	0	348
ii	242 KVAR	Nos.	42+42 (U/T)	0	0	42	0	0	126
27	PC CUT OUT								
i	63 AMP.	Nos.	0	0	0	0	0	0	0
ii	100 AMP.	Nos.	0	0	0	691	0	0	691
iii	200 AMP.	Nos.	0	6993	0	0	7700	0	14693
iv	300 AMP.	Nos.	0	0	0	0	0	0	0
28	METER NEW ELECTRONIC								
i	1 PHASE 5-30 Amp.	Nos.	21891	6206	7284	18656	10248	1349	65634
ii	3 PHASE 10-40 Amp.	Nos.	5969	3241	1489	7482	898	2341	21420
iii	3 PHASE 20-100 Amp.	Nos.	6	0	0	0	0	0	6

M.P.P.K.V.V.CO.LTD., INDORE

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.11.2017

No.	NAME OF MATERIALS	UNI	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL
iv	Whole Current 40-200 Amp.	Nos.	409	0	40	17	0	0	466
v	LT C.T. Meter 100/5 Amp.	Nos.	0	0	0	0	0	0	0
vi	HT Meter - 110 V	Nos.	35	0	0	0	0	0	35
vii	HT Meter - 110 V S/S.	Nos.	393	0	0	0	0	0	393
29	MAIN SWITHCES								
i	32 AMP.	Nos.	0	0	7	503	0	2653	3163
ii	63 AMP.	Nos.	18	0	8	1071	680	705	2482
iii	100 AMP.	Nos.	1468	0	0	2357	100	0	3925
iv	200 AMP.	Nos.	464+188UT	0	0	770	0	0	1422
v	320 AMP.	Nos.	0	0	0	0	0	0	0
vi	400 AMP.	Nos.	0	0	0	0	0	0	0
30	G.I. PINS								
i	11 KV	Nos.	0	0	2058	0	0	0	2058
ii	33 KV	Nos.	0	0	0	0	0	0	0
31	G.I.CONDUIT PIPE								
i	20 MM	Mtr.	0	0	0	0	0	0	0
ii	40 MM	Mtr.	17508	6564	6290	13309	12459	10743	66873
33	ISOLATORS								
i	11 KV	Nos.	98	139	218	113	9	186	763
ii	33 KV	Nos.	4	0	0	0	0	0	4
34	PCC POLES								
i	140 KG	Nos.	230	0	0	5750	138	0	6118
ii	280 KG	Nos.	0	1103	0	110	61	0	1274
iii	350 KG	Nos.	0	16	0	0	0	0	16
35	BATTERY & CHARGER								
i	BATTERY	Nos.	0	0	0	0	0	0	0
ii	BATTERY CHARGER	Nos.	0	0	0	0	0	0	0
36	OIL X-MER								
i	Fresh Oil	KL	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	Reclaimed Oil	KL	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	Burnt Oil	KL	0.000	78.000	90.000	32.139	24.000	51.203	275.342
37	Male Female Contact suitable for								
i	11 KV A.B.Switch	No.	425	0	0	1673	0	0	2098
ii	33 KV A.B.Switch	No.	10	0	0	0	0	0	10
38	ALU. LUGS								
i	16 Sq.mm	No.	0	0	0	0	0	0	0
ii	25 Sq.mm	No.	0	0	0	0	0	0	0
iii	35 Sq.mm	No.	0	0	0	0	0	0	0
iv	70 Sq.mm	No.	0	0	0	0	0	0	0
v	150 Sq.mm	No.	0	0	0	0	0	0	0
vi	300 Sq.mm	No.	0	0	0	0	0	0	0
39 (a)	DPC Aluminium Round Wire								
i	0.79 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
i	0.81 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
ii	1.03 mm	Kg.	3279.70	0	0	0.00	0.00	0.00	3279.70
iii	1.25 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
iv	1.33 mm	Kg.	11105.900	0	0	0.000	0.00	0.000	11105.90
v	1.60 mm	Kg.	0.000	0	0	0.000	0.00	0.000	0.00
vi	1.70 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
vii	2.00 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
viii	2.20 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
39 (b)	DPC Aluminium Rectangular Wire								
i	11 X 4 mm	Kg.	1325.25	0	0	0.00	0.00	0.00	1325.25
ii	11 X 5.5 mm	Kg.	3250.49	0	0	0.00	0.00	0.00	3250.49
iii	7.2 X 5.5 mm	Kg.	0.0	0	0	0.0	0.00	0.0	0.00
iv	7.25 X 3.13 mm	Kg.	0.0	0	0	0.0	0.00	0.0	0.00
v	10.6 x 4.6 mm	Kg.	678.300	0	0	0.000	0.00	0.000	678.30
40 (a)	DPC Copper Round Wire								
i	1.95 mm dia	Kg.	0.000	0	0	0.000	0.000	0.000	0.00
40 (b)	DPC Copper Rectangular Wire								
i	8.4 X 3.7 mm	Kg.	780.75	0	0	0.0	0.0	0.0	780.75
41	HV / LV Brass Stud for Dist.X-mer								
i	LV 20 MM	No.	0	0	0	3325	0	0	3325
ii	HV	No.	0	0	0	1500	0	0	1500
42	TPC Copper Strips	Kg.	0.0	0	0	0.0	0.0	0.0	0
43	Press Board								
i	1 MM	Kg.	0	0	0	200	0	0	200
ii	2 MM	Kg.	0	0	0	495	0	0	495
iii	3 MM	Kg.	0	0	0	0	0	0	0
44	Kraft Paper	Kg.	0	0	0	0	0	0	0

M.P.P.K.V.V.CO.LTD., INDORE

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.11.2017

No.	NAME OF MATERIALS	UNI	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL
45	Gasket Sheet							0	
i	5 MM	No.	0	0	0	0	0	0	0
ii	6 MM	Kg.	0	0	0	0	0	0	0
iii	9 MM	Kg.	0	0	0	0	0	0	0
46	HRC Fuse Base & Link -								
i	Base - 250 Amp.	No.	0	0	0	300	0	0	300
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	0
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	0
iv	Link - 250 Amp./200 Amp	No.	863	0	0	1185	0	0	2048
v	Link - 300 Amp.	No.	0	0	0	0	0	0	0
vi	Link - 400 Amp.	No.	0	0	0	0	0	0	0
47	LT Pole Fuse Unit & Robust Fuse Unit	No.	45	249	315	232	2107	1858	4806
48	Pole Mounted Service connection Box								
i	Single Phase	No.	0	0	0	0	0	0	0
ii	Three Phase	No.	3052(U/T)	0	600	102 + 1526 U/T	40	100	5420
49	MCB								
i	Single Pole 16 Amp.	No.	12483	0	0	898	0	0	13381
ii	Three Pole 32 Amp.	No.	4718	0	0	301	0	500	5519
50	Poly Carbonate Meter Box								
i	Single Phase	No.	0	0	0	24943	0	0	24943
ii	Three Phase	No.	1445	903	0	4777	0	0	7125
51	Barbed Wire	Kg.	0	0	4225	2931	0	0	7156
52	Safety Appliances								
i	Cutting Plier	No.	0	0	0	1672	0	0	1672
ii	Lineman Tool Bag	No.	0	0	0	0	0	0	0
iii	Safety Jhoola Belt	No.	0	0	0	15	0	0	15
iv	Screw Driver	No.	0	0	0	77	0	0	77
53	Hand Gloves	No.	0	0	0	446	0	0	446
54	Rubber Ankle Shoes	No.	0	0	0	35	0	0	35
55	Liveries Terrycot & Woolen-								
i	Khaki Terrycot	Mtr.	2622.63	0	0	1768.00	0.00	162.00	4552.630
ii	White Terrycot	Mtr.	283.86	0	0	458.00	0.00	40.00	781.860
iii	Blue Woolen	Mtr.	20.25	0.00	0	51.00	0.00	10.00	81.250
iv	Khaki Woolen	Mtr.	9.75	0	0	117.00	0.00	0.00	126.750
v	Khaki Cellular	Mtr.	0.00	0	0	2191.00	0.00	285.00	2476.000
56	Scrap Conductor	Kg.	0.00	54745.00	3300.00	212889.00	0.00	24085.00	295019
57	Earthing Coil	No.	0.00	0	0	0.00	0.00	0.00	0
58	Search Light 200/250 W	No.	0	0	0	0	0	0	0
59	MS Nut & Bolt								
i	M.S.Nut Bolt 16 X 200	Kg.	919	0	0	2160-U/T	0	0	3079
ii	M.S.Nut Bolt 16 X 160	Kg.	0	0	0	2090-U/T	0	0	2090
iii	M.S.Nut Bolt 16 X 140	Kg.	0	0	0	2460-U/T	0	0	2460
iv	M.S.Nut Bolt 16 X 90	Kg.	0	0	0	1790-U/T	0	0	1790
v	M.S.Nut Bolt 16 X 65	Kg.	0	0	0	1490-U/T	0	0	1490
vi	M.S.Nut Bolt 12 X 65	Kg.	0	0	0	0	0	0	0
vii	M.S.Nut Bolt 12 X 140	Kg.	0	0	0	0	0	0	0
viii	M.S.Nut Bolt 12 X 300	Kg.	0	0	0	0	0	0	0
ix	M.S.Nut Bolt 12 X 100	Kg.	720	0	0	450 (U/T)	0	0	1170
x	M.S.Nut Bolt 16 X 250	Kg.	0	0	0	200 (U/T)	0	0	200
60	Clamp & Connector								
i	Suspension Clamp Ass.for LT Cable 25-50	Nos.	0	0	0	0	0	0	0
ii	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	0	0	0	0	0	0	0
iii	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	9114(U/T)	0	0	9104 U/T	0	0	18218
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	0	0	0	0	0	0
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	0	0	0	0	0	0
vi	T-Clamp for Dog	Nos.	0	3004	0	29	0	0	3033
61	11 KV RVT								
i	(RVT) OUTDOOR TYPE	Nos.	59	0	0	0	0	0	59
62	11 KV CAPACITOR SWITCH								
i	11 KV Outdoor Automatic Capacitor switch	Nos.	40	0	0	0	0	0	40
63	LT CT Meter Box								
i	LT CT Meter Box	Nos.	403	0	0	0	0	0	403
64	HT Meter Box								
i	HT Meter Box	Nos.	0	0	0	0	0	0	0
65	BI-METALLIC CLAMPS								
i	LV	No.	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0