

M.P.P.K.V.V.CO.LTD., INDORE
STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 30.6.2017

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.
1	DIST.TRANSFORMERS															
i	25 KVA (Non Star)	Nos.	0	416	0	3	0	34	0	402	0	0	0	10	0	865
ii	25 KVA (3 Star)	Nos.	850	0	887	0	737	0	367	0	672	0	531	0	4044	0
iii	63 KVA	Nos.	0	372	0	565	0	453	0	778	0	108	0	692	0	2968
iv	100 KVA (Non Star)	Nos.	0	2528	0	966	0	500	0	1172	0	1121	0	1247	0	7534
v	100 KVA (3 Star)	Nos.	403	0	254	0	103	0	935	0	285	0	210	0	2190	0
vi	200 KVA (Non Star)	Nos.	0	14	0	77	0	5	0	59	0	25	0	13	0	193
vii	200 KVA (3 Star)	Nos.	0	0	0	0	0	0	3	0	0	0	0	0	3	0
viii	315 KVA	Nos.	0	17	0	0	0	0	24	0	0	1	0	0	24	18
2	POWER X'MERS		NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.
i	1.6 MVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3.15MVA	Nos.	0	16	0	32	0	0	0	45	0	25	0	38	0	156
iii	5.0 MVA	Nos.	0	2	0	0	0	0	0	0	0	1	0	0	0	3
iv	8.0 MVA	Nos.	3	1	0	0	0	0	3	0	0	0	0	0	6	1
v	10.0 MVA	Nos.	3	0	0	0	0	0	0	0	0	0	0	0	3	0
3	CT/PT UNITS		11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV
i	2.5/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	5/5 AMP	Nos.	0	1+30UT	0	0	0	0	0	0	0	0	0	0	0	31
iii	7.5/5 AMP	Nos.	35	0	1	0	0	0	17	0	0	0	1	0	54	0
iv	10/5 AMP	Nos.	0	14	0	0	0	0	0	0	0	0	0	0	0	14
v	15/5 AMP	Nos.	34	0	0	0	0	0	0	0	0	0	0	0	34	0
vi	20/5 AMP	Nos.	0	17	0	0	0	0	0	0	0	0	0	0	0	17
vii	25/5 AMP	Nos.	4	0	0	0	0	0	3	0	0	0	0	0	7	0
viii	30/5 AMP	Nos.	0	4	0	0	0	0	0	1	0	0	0	0	0	5
ix	50/5 AMP	Nos.	0	20	0	2	0	0	1	4	0	0	0	0	1	26
x	75/5 AMP	Nos.	0	2	0	0	0	0	0	0	0	0	0	0	0	2
xi	100/5 AMP	Nos.	2	30	0	0	0	0	4	0	0	0	0	0	6	30
xii	200/5 AMP	Nos.	0	23	0	0	0	0	0	0	0	0	0	0	0	23
xiii	300/5 AMP	Nos.	0	0	0	0	0	0	0	3	0	0	0	0	0	3
xiv	100-50/5 AMP	Nos.	0	0	0	0	0	0	0	1	0	0	0	0	0	1
xv	300-150/5 AMP	Nos.	1+49(U/T)	1	0	0	0	0	0	89	0	32	0	0	50	122
xvi	400-200/5 AMP	Nos.	0	4+29UT	0	0	0	0	0	0	0	0	0	0	0	33
xvii	200-100/5 AMP	Nos.	0	50	0	0	0	0	46	0	0	0	0	0	46	50
4	CONTROL PANEL		Feeder	X-mer	Feeder	X-mer	Feeder	X-mer	Feeder	X-mer	Feeder	X-mer	Feeder	X-mer	Feeder	X-mer
i	11KV	Nos.	0	4	0	7	0	11	0	0	11	0	8	0	19	22
ii	33KV	Nos.	0	0	0	4	11	0	0	0	1	0	0	0	11	5
5	CABLE COPPER CONTROL		UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.
i	2 Core 2.5 Sq.mm	Mtr.	41395	0	0	0	1000	0	0	0	0	0	0	0	42395	0
ii	3 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	4 Core 2.5 Sq.mm	Mtr.	1421 + 6810 UT	0	0	0	0	0	2147	0	0	0	0	0	10378	0
iv	8 Core 2.5 Sq.mm	Mtr.	16200-UT	0	0	0	0	0	0	0	0	0	0	0	16200	0
v	12 Core 2.5 Sq.mm	Mtr.	1502	0	0	0	0	0	853	0	0	0	0	0	2355	0
vi	10 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	4 Core 24 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	D.O.FUSE ELEMENTS		11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV
i	1.5 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	5 Amp.	No.	0	0	0	0	0	0	1095	0	0	0	0	0	1095	0
iv	7.5 Amp.	No.	0	0	0	0	0	0	1673	0	0	0	0	0	1673	0
v	10 Amp.	No.	0	0	0	0	0	0	3376	0	0	0	0	0	3376	0
vi	15 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	25 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
viii	50 Amp.	No.	0	0	0	0	0	0	0	7486	0	0	0	0	0	7486
ix	75 Amp.	No.	0	0	0	0	0	0	0	3141	0	0	0	0	0	3141
x	100 Amp.	No.	0	0	0	0	0	0	0	1797	0	0	0	0	0	1797

M.P.P.K.V.V.CO.LTD., INDORE

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 30.6.2017

No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL
7	CONDUCTOR								
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0	0.000	0.000	0.000	0.000
ii	AAAC-03 WEASEL	KM	0.000	0.000	0	16.798	25.000	0.000	41.798
iii	AAAC-05 RABBIT	KM	103.016-UT	103.018 -UT	103.016-UT	24.348	31.000	48.478-UT	412.876
iv	AAAC-075 RACCON	KM	40.462	7.488	14.398	44.206	18.000	7.200	131.754
v	AAAC-DOG	KM	14.400	100.800 - UT	0.000	14.400 + 142.800UT	14.000	0.000	286.400
vi	AAAC Panther conductor 0.20 sq. inch	KM	7.258	0.000	0	4.004	0.000	0.000	11.262
8	LIGHTING ARRESTERS								
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	0	0	0	0	0	0
ii	11 KV 5 KA - Line type	Nos.	0	0	0	0	0	0	0
iii	33 KV 10 KA - Line type	Nos.	0	0	0	47	0	0	47
iv	11 KV 10 KA - Station type	Nos.	0	0	0	0	0	0	0
9	VCB								
i	11 KV	Nos.	7	7	0	0	10	7	31
ii	33 KV 30V	Nos.	38 + 29UT	23	10 + 29UT	13	22	15 + 29UT	208
10	STAY SET								
i	16 MM/Painted	Nos.	3992+2050 UT	720	1032	964	385	187	9330
ii	20 MM	Nos.	0	0	0	0	0	0	0
11	C.T.s								
i	11 KV CT 200-100/5-5 A	Nos.	5+137(U/T)	0	0	50-UT	0	0	192
ii	11 KV CT 300-150/5-5 A	Nos.	70-UT	0	0	2	0	0	72
iii	11 KV CT 400-200/5-5 A	Nos.	0	0	0	0	0	0	0
iv	11 KV CT 600-300/5-5 A	Nos.	3	0	0	0	0	0	3
v	11 KV CT 600-300/5-5-1 A	Nos.	0	0	0	0	0	0	0
vi	33 KV CT 200-100/5-5 A	Nos.	81+137UT	0	0	107 + 68UT	0	0	393
vii	33 KV CT 300-150/5-5 A	Nos.	21+71(U/T)	0	0	29 + 137UT	0	0	258
viii	33 KV CT 200-100/5-5-1 A	Nos.	2	0	0	0	0	0	2
ix	132 KV CT 50/1	Nos.	1	0	0	0	0	0	1
x	132 KV CT 100/1	Nos.	16	0	0	3	0	0	19
xi	132 KV CT 200/1	Nos.	7	0	0	0	0	0	7
12	P.T.s								
i	11 KV PT	Nos.	101	0	0	0	0	0	101
ii	33 KV PT	Nos.	59	0	0	0	0	0	59
iii	132 KV PT	Nos.	27	0	0	0	0	0	27
13	LT / CT								
i	100/5 AMP	Nos.	198	0	0	100	0	0	298
ii	200/5 AMP	Nos.	0	0	0	0	0	0	0
iii	300/5 AMP	Nos.	0	0	0	0	0	0	0
iv	400/5 AMP	Nos.	0	0	0	0	0	0	0
v	500/5 AMP	Nos.	0	0	0	0	0	0	0
14	Cable - Unarmoured PVC / XLPE Cable								
	1 C X 50 Sqmm	KM	10.146 - UT	0	0	11.155 - UT	0.000	0.000	21.301
i	1 C X 16 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
ii	1 C X 25 Sqmm	KM	0.000	0.000	0	0.382	1.000	0.000	1.382
iii	1 C X 70 Sqmm	KM	38.309	0.000	1.000	0.000	0.000	0.000	39.309
iv	1 C X 150 Sqmm	KM	23.668	0	0	0.000	0.000	0.000	23.668
v	1 C X 300 Sqmm	KM	10.666	0	0	8.156	0.000	0.000	18.822
vi	4 C X 16 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
vii	4 C X 25 Sqmm	KM	0.000	0	0	6.824	0.000	0.000	6.824
15	Cable - Multicore Armoured PVC Cable								
i	2 C X 2.5 Sqmm	KM	18.000	0	0	5.039	0.000	0.000	23.039
ii	4 C X 2.5 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
iii	2 C X 4 Sqmm	KM	145.000	0	0	0.000	0.000	0.000	145.000
iv	4 C X 4 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
v	4 C X 6 Sqmm	KM	0.000	0	0	0.000	0.000	121.037	121.037
vi	4 C X 8 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
vii	4 C X 10 Sqmm	KM	0.000	0	0	1.000	0.000	0.000	1.000
viii	4 C X 16 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
ix	4 C X 25 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000

x	3.5 C X 35 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
xi	3.5 C X 70 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
xii	3.5 C X 150 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
xiii	3.5 C X 300 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
16	Cable - HT XLPE Cable								
i	3 C X 70 Sqmm 11 KV	KM	0.000	0	0	0.397	0.000	0.000	0.397
ii	3 C X 185 Sqmm 11 KV	KM	27.720	0	0	0.000	0.000	0.000	27.720
iii	3 C X 300 Sqmm 11 KV	KM	2.377	0	0	2.492	0.000	0.000	4.869
iv	3 C X 185 Sqmm 33 KV	KM	0.000	0	0	2.026	0.000	0.248	2.274
v	3 C X 300 Sqmm 33 KV	KM	0.250	0	0	0.241	0.000	0.000	0.491
17	Cable - LT AB Cable								
	1X25+1X25+1X25	KM	45.000 - UT	0.000	0.000	30.992 - UT	0.000	0.000	75.992
	3X16+1X16+1X25	KM	0.000	0.000	0.000	16.070 - UT	0.000	0.000	16.070
i	3X25+1X35 Sqmm	KM	87.845-UT	0	0.000	109.203	49.000	44.815	290.863
ii	3X25+1X16+1X25 Sqmm	KM	89.221	32.087 - UT	0	0.000	138.000	10.033 - UT	269.341
iii	3X35+1X16+1X25 Sqmm	KM	0.000	57.828 - UT	0	0.000	0.000	25.041 - UT	82.869
iv	3X50+1X16+1X35 Sqmm	KM	101.641	250.820 - UT	0	0.000	133.000	0.000	485.461
v	3X70+1X16+1X50 Sqmm	KM	0.000	0	0	15.000 - UT	0.000	0.000	15.000
vi	3X95+1X16+1X70 Sqmm	KM	13.000-UT	0	0	20.679	0.000	7.991 - UT	41.670
18	STEEL SECTIONS								
i	Rail Pole	MT	0.00	0	0	0.00	0.00	0.00	0.000
ii	H-Beam 152 x 152 mm	MT	59.931	151.615	141.080	71.736	0.000	64.775	489.137
iii	RS Joist 175 x 85 mm	MT	375.085	97.726	34.300	94.255	133.000	0.000	734.366
iv	MS Angle 75 x 75 x 6 mm	MT	19.980	0	0	0.000	0.000	3.000	22.980
v	MS Angle 65 x 65 x 6 mm	MT	365.045	89.945	39.550	111.758	38.000	80.155	724.453
vi	MS Angle 50 x 50 x 6 mm	MT	59.650	27.38	5.110	32.235	9.000	31.900	165.275
vii	MS Channel 100 x 50 x 5 mm	MT	322.650	64.076	20.120	71.317	29.000	112.860	620.023
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	0	0	0.000	0.000	39.070	39.070
ix	MS Channel 65 x 65 x 6 mm	MT	0.00	0	0	0.00	0.00	0.00	0.000
x	MS Flat 75 x 6 mm	MT	1.550	0	0	0.000	0.000	0.000	1.550
xi	MS Flat 65 x 8 mm	MT	98.765	0.000	1.090	27.567	0.000	0.000	127.422
xii	MS Flat 50 x 6 mm	MT	51.275	9.900	9.900	25.065	0.000	34.240	130.380
19	GI WIRES								
i	6 SWG	MT	66.680	0	1.930	74.625	0.000	0.000	143.235
ii	8 SWG	MT	39.226	25.985	20.800 + 15.890UT	17.075 + 33.000UT	0.000	20.780 + 16.308UT	189.064
iii	10 SWG	MT	6.123	0	0	4.367	0.000	15.494	25.984
20	STAY WIRES								
i	7/8 SWG	MT	0.000	0	0	0.000	0.000	0.000	0.000
ii	7/10 SWG	MT	27.159 + 43.500UT	43.360 - UT	26.560 + 21.460UT	36.760	9.000	50.114 + 43.310UT	301.223
21	HARDWARES								
i	LT SHACKLE H/W 90X75	Nos.	43844	0	0	0	0	0	43844
ii	11 KV H/W	Nos.	0	0	0	0	0	0	0
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0
iv	33 KV H/W (Panther)	Nos.	80	0	0	0	0	0	80
22	INSULATORS								
i	SHACKLE 90 X 75	Nos.	51020-UT	0	0	0	0	0	51020
ii	SHACKLE 65 X 50	Nos.	46756	0	0	1188	0	0	47944
iii	STAY INSULATOR 90X65	Nos.	6816	0	0	0	0	0	6816
iv	11 KV PIN INSULATOR	Nos.	0	0	0	0	0	0	0
v	33 KV PIN INSULATOR	Nos.	0	0	0	0	0	0	0
vi	DISC INSULATOR 45 KN	Nos.	0	0	0	0	0	0	0
vii	11 KV Polymer Pin Insulator	Nos.	50	0	0	244	100	0	394
viii	33 KV Polymer Pin Insulator	Nos.	0	0	11	0	0	150	161
ix	11 KV Polymer Disc Insulator 45 KN	Nos.	0	60	0	0	2577	1300	3937
x	33 KV Polymer Disc Insulator	Nos.	0	0	0	0	370	400	770
23	DO SETS								
i	11 KV	Nos.	139 + 3785UT	0	4219 - UT	76	0	579 + 4598UT	13396
ii	33 KV	Nos.	78 + 100UT	0	50 - UT	0	0	50 - UT	278
24	AB SWITHCES								
i	33 KV	Nos.	0	0	0	0	0	0	0
ii	11 KV 1 PHASE	Nos.	13	0	0	15	0	0	28
iii	11 KV 3 PHASE	Nos.	2	0	9	85	53	40	189

25	DIST. BOXES								
i	25 KVA	Nos.	0	0	0	0	0	0	0
ii	63 KVA	Nos.	0	0	0	3	0	0	3
iii	100 KVA	Nos.	132	79	130	168	111	205	825
iv	200 KVA	Nos.	6+226(U/T)	0	0	115	0	0	347
v	315 KVA	Nos.	0	0	0	2	0	0	2
26	CAPACITORS								
i	121 KVAR	Nos.	15	0	0	14	0	0	29
ii	242 KVAR	Nos.	0	0	0	0	0	0	0
27	PC CUT OUT								
i	63 AMP.	Nos.	0	0	0	0	0	0	0
ii	100 AMP.	Nos.	0	0	0	801	0	0	801
iii	200 AMP.	Nos.	0	8993	0	517	7700	0	17210
iv	300 AMP.	Nos.	0	0	0	96	0	0	96
28	METER NEW ELECTRONIC								
i	1 PHASE 5-30 Amp.	Nos.	25244	4795	3305	3719	5572	9486	52121
ii	3 PHASE 10-40 Amp.	Nos.	5015	2891	1044	2497	363	1003	12813
iii	3 PHASE 20-100 Amp.	Nos.	0	0	0	0	0	0	0
iv	Whole Current 40-200 Amp.	Nos.	11	0	0	7	0	0	18
v	LT C.T. Meter 100/5 Amp.	Nos.	88	0	0	0	2	0	90
vi	HT Meter - 110 V	Nos.	87	0	0	0	0	0	87
vii	HT Meter - 110 V S/S.	Nos.	468	0	0	0	0	0	468
29	MAIN SWITHCES								
i	32 AMP.	Nos.	0	0	7	505	0	2653	3165
ii	63 AMP.	Nos.	343	0	8	1719	680	705	3455
iii	100 AMP.	Nos.	1600-UT	0	0	2540	0	0	4140
iv	200 AMP.	Nos.	564-UT	0	0	16	0	0	580
v	320 AMP.	Nos.	0	0	0	0	0	0	0
vi	400 AMP.	Nos.	0	0	0	0	0	0	0
30	G.I. PINS								
i	11 KV	Nos.	0	0	2058	0	0	0	2058
ii	33 KV	Nos.	677	0	0	0	0	0	677
31	G.I.CONDUIT PIPE								
i	20 MM	Mtr.	0	0	0	0	0	0	0
ii	40 MM	Mtr.	14425 U/T	3333 + 9000UT	6305	11763	6200	8744 + 4000UT	63770
32	P.T. 110VOLT								
i	11 KV	Nos.	0	0	0	0	0	0	0
ii	33 KV	Nos.	0	0	0	45	0	0	45
33	ISOLATORS								
i	11 KV	Nos.	115	139	218	134	9	186	801
ii	33 KV	Nos.	21	0	0	2	0	0	23
34	PCC POLES								
i	140 KG	Nos.	1629	4786	0	3318	138	297	10168
ii	280 KG	Nos.	0	1445	0	116	61	0	1622
iii	350 KG	Nos.	0	16	0	0	0	0	16
35	BATTERY & CHARGER								
i	BATTERY	Nos.	35	0	0	40	0	0	75
ii	BATTERY CHARGER	Nos.	19	0	0	16	0	0	35
36	OIL X-MER								
i	Fresh Oil	KL	26.629	11.600	48.032	15.561	23.000	5.543	130.365
ii	Reclaimed Oil	KL	0.000	0	0	0.000	0.000	0.000	0.000
iii	Burnt Oil	KL	20.000	80.515	35.000	20.000	20.000	60.003	235.518
37	Male Female Contact suitable for								
i	11 KV A.B.Switch	No.	2550-UT	0	0	3128	0	0	5678
ii	33 KV A.B.Switch	No.	1050-UT	0	0	340	0	0	1390
38	ALU. LUGS								
i	16 Sq.mm	No.	1605	0	0	0	0	0	1605
ii	25 Sq.mm	No.	309	0	0	0	0	0	309
iii	35 Sq.mm	No.	0	0	0	0	0	0	0
iv	70 Sq.mm	No.	11970	0	0	0	0	0	11970
v	150 Sq.mm	No.	0	0	0	0	0	0	0
vi	300 Sq.mm	No.	0	0	0	0	0	0	0
39 (a)	DPC Aluminium Round Wire								
i	0.79 mm	Kg.	2053.45	0	0	0.00	0.00	0.00	2053.45
i	0.81 mm	Kg.	2006.14	0	0	0.00	0.00	0.00	2006.14

ii	1.03 mm	Kg.	3279.70	0	0	0.00	0.00	0.00	3279.70
iii	1.25 mm	Kg.	1542.28	0	0	0.00	0.00	0.00	1542.28
iv	1.33 mm	Kg.	11105.900	0	0	0.000	0.00	0.000	11105.90
v	1.60 mm	Kg.	0.000	0	0	0.000	0.00	0.000	0.00
vi	1.70 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
vii	2.00 mm	Kg.	2700.30	0	0	0.00	0.00	0.00	2700.30
viii	2.20 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
39 (b)	DPC Aluminium Rectangular Wire								
i	11 X 4 mm	Kg.	1419.55	0	0	0.00	0.00	0.00	1419.55
ii	11 X 5.5 mm	Kg.	3373.14	0	0	0.00	0.00	0.00	3373.14
iii	7.2 X 5.5 mm	Kg.	500.0	0	0	0.0	0.00	0.0	500.00
iv	7.25 X 3.13 mm	Kg.	998.9	0	0	0.0	0.00	0.0	998.90
v	10.6 x 4.6 mm	Kg.	0.000	0	0	0.000	0.00	0.000	0.00
40 (a)	DPC Copper Round Wire								
i	1.95 mm dia	Kg.	0.000	0	0	0.000	0.000	0.000	0.00
40 (b)	DPC Copper Rectangular Wire								
i	8.4 X 3.7 mm	Kg.	780.8	0	0	0.0	0.0	0.0	780.75
41	HV / LV Brass Stud for Dist.X-mer								
i	LV 20 MM	No.	0	0	0	6125	0	0	6125
ii	HV	No.	0	0	0	5000	0	0	5000
42	TPC Copper Strips	Kg.	0.0	0	0	0.0	0.0	0.0	0
43	Press Board								
i	1 MM	Kg.	700	0	0	0	0	0	700
ii	2 MM	Kg.	0	0	0	695	0	0	695
iii	3 MM	Kg.	0.00	0	0	0.00	0.00	0.00	0
44	Kraft Paper	Kg.	0	0	0	0	0	0	0
45	Gasket Sheet							0	
i	5 MM	No.	0	0	0	0	0	0	0
ii	6 MM	Kg.	0	0	0	0	0	0	0
iii	9 MM	Kg.	0	0	0	0	0	0	0
46	HRC Fuse Base & Link -								
i	Base - 250 Amp.	No.	0	0	0	0	0	0	2900
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	0
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	0
iv	Link - 250 Amp./200 Amp	No.	2233	0	0	1685	0	0	3918
v	Link - 300 Amp.	No.	0	0	0	0	0	0	0
vi	Link - 400 Amp.	No.	0	0	0	0	0	0	0
47	LT Pole Fuse Unit & Robust Fuse Unit	No.	2523 -UT	100+1500UT	563 + 1400UT	2559	1507	1400	11552
48	Pole Mounted Service connection Box								
i	Single Phase	No.	0	0	0	0	0	0	0
ii	Three Phase	No.	2202	0	600	102	0	100	3004
49	MCB								
i	Single Pole 16 Amp.	No.	14833	255	0	898	0	0	15986
ii	Three Pole 32 Amp.	No.	6368	0	0	301	0	500	7169
50	Poly Carbonate Meter Box								
i	Single Phase	No.	0	0	0	25043	0	0	25043
ii	Three Phase	No.	1645	903	0	4802	0	0	7350
51	Barbed Wire	Kg.	3734	0	4225	2931	0	0	10890
52	Safety Appliances								
i	Cutting Plier	No.	0	0	0	0	0	0	0
ii	Lineman Tool Bag	No.	0	0	0	0	0	0	0
iii	Safety Jhoola Belt	No.	0	0	0	434	0	0	434
iv	Screw Driver	No.	0	0	0	127	0	0	127
53	Hand Gloves	No.	0	0	0	0	0	0	0
54	Rubber Ankle Shoes	No.	0	0	0	1174	0	0	1174
55	Liveries Terrycot & Woolen-								
i	Khaki Terrycot	Mtr.	2622.63	0	0	1768.00	0.00	297.00	4687.630
ii	White Terrycot	Mtr.	283.86	0	0	464.00	0.00	70.00	817.860
iii	Blue Woolen	Mtr.	20.25	1.50	0	53.00	0.00	10.00	84.750
iv	Khaki Woolen	Mtr.	9.75	0	0	117.00	0.00	0.00	126.750
v	Khaki Cellular	Mtr.	0.00	0	0	2291.00	0.00	320.00	2611.000
56	Scrap Conductor	Kg.	8220	44045	2703	198554	0	17090	270612
57	Earthing Coil	No.	0	0	0	56	0	0	56
58	Search Light 200/250 W	No.	0	0	0	0	0	0	0
59	MS Nut & Bolt								
i	M.S.Nut Bolt 16 X 200	Kg.	8480	0	0	170	0	0	8650

ii	M.S.Nut Bolt 16 X 160	Kg.	7650	0	0	0	0	0	7650
iii	M.S.Nut Bolt 16 X 140	Kg.	5100	0	0	1000	0	0	6100
iv	M.S.Nut Bolt 16 X 90	Kg.	0	0	0	1200	0	0	1200
v	M.S.Nut Bolt 16 X 65	Kg.	0	0	0	280	0	0	280
vi	M.S.Nut Bolt 12 X 65	Kg.	0	0	0	0	0	0	0
vii	M.S.Nut Bolt 12 X 140	Kg.	1500	0	0	0	0	0	1500
viii	M.S.Nut Bolt 12 X 300	Kg.	0	0	0	0	0	0	0
ix	M.S.Nut Bolt 12 X 100	Kg.	1320	0	0	0	0	0	1320
x	M.S.Nut Bolt 16 X 250	Kg.	200	0	0	0	0	0	200
60	Clamp & Connector								
i	Suspension Clamp Ass.for LT Cable 25-50	Nos.	0	0	0	0	0	0	0
ii	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	0	0	0	0	0	0	0
iii	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	0	0	0	104	0	0	104
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	0	0	0	0	0	0
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	0	0	0	0	0	0
vi	T-Clamp for Dog	Nos.	0	3064	0	479	0	0	3543
61	11 KV RVT								
i	(RVT) OUTDOOR TYPE	Nos.	59	0	0	0	0	0	59
62	11 KV CAPACITOR SWITCH								
i	11 KV Outdoor Automatic Capacitor switch	Nos.	40	0	0	0	0	0	40
63	LT CT Meter Box								
i	LT CT Meter Box	Nos.	477	0	0	0	0	0	477
64	HT Meter Box								
i	HT Meter Box	Nos.	10	0	0	0	0	0	10
65	BI-METALLIC CLAMPS								
i	LV	No.	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0