

M.P.P.K.V.V.CO.LTD., INDORE

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 30.11.2017

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL		
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	
7	CONDUCTOR																
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	AAAC-03 WEASEL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	AAAC-05 RABBIT	KM	0.000	491.994	0.000	297.592	0.000	297.000	0.000	400.000	0.000	423.398	0.000	291.380	0.000	2201.364	
iv	AAAC-075 RACCON	KM	97.776	0.000	28.800	0.000	39.600	0.000	120.000	0.000	52.800	0.000	46.800	0.000	385.776	0.000	
v	AAAC-DOG	KM	38.400	0.000	4.800	0.000	0.000	0.000	22.000	0.000	14.400	0.000	0.000	0.000	79.600	0.000	
vi	AAAC Panther conductor 0.20 sq. inch	KM	7.258	0.000	0.000	0.000	0.000	0.000	4.004	0.000	0.000	0.000	0.000	0.000	11.262	0.000	
8	LIGHTING ARRESTERS																
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	690	0	95	0	230	0	460	0	460	0	0	0	1935	
ii	11 KV 5 KA - Line type	Nos.	0	410	0	0	0	0	0	0	0	0	0	230	0	640	
iii	33 KV 10 KA - Line type	Nos.	0	0	0	310	0	310	0	410	0	310	0	310	0	1650	
iv	11 KV 10 KA - Station type	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9	VCB																
i	11 KV	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ii	33 KV 30V	Nos.	48	0	14	0	40	0	21	0	22	0	38	0	183	0	
10	STAY SET																
i	16 MM/Painted	Nos.	593	0	0	0	0	0	1121	0	610	0	2838	0	5162	0	
ii	20 MM	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11	C.T.s																
i	11 KV CT 200-100/5-5 A	Nos.	2	0	0	0	0	0	0	0	0	0	0	0	2	0	
ii	11 KV CT 300-150/5-5 A	Nos.	3	0	0	0	0	0	0	0	0	0	0	0	3	0	
iii	11 KV CT 400-200/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
iv	11 KV CT 600-300/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
v	11 KV CT 600-300/5-5-1 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
vi	33 KV CT 200-100/5-5 A	Nos.	31	0	0	0	0	0	4	0	0	0	0	0	35	0	
vii	33 KV CT 300-150/5-5 A	Nos.	7	0	0	0	0	0	0	0	0	0	0	0	7	0	
viii	33 KV CT 200-100/5-5-1 A	Nos.	2	0	0	0	0	0	0	0	0	0	0	0	2	0	
ix	132 KV CT 50/1	Nos.	1	0	0	0	0	0	0	0	0	0	0	0	1	0	
x	132 KV CT 100/1	Nos.	13	0	0	0	0	0	0	0	0	0	0	0	13	0	
xi	132 KV CT 200/1	Nos.	7	0	0	0	0	0	0	0	5	0	0	0	12	0	
12	P.T.s																
i	11 KV PT	Nos.	24	0	0	0	0	0	14	0	0	0	0	0	38	0	
ii	33 KV PT	Nos.	56	0	0	0	0	0	36	0	0	0	0	0	92	0	
iii	132 KV PT	Nos.	19	0	0	0	0	0	0	0	4	0	0	0	23	0	
13	LT / CT																
i	100/5 AMP	Nos.	54	0	0	0	0	0	0	0	0	0	0	0	54	0	
ii	200/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
iii	300/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
iv	400/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
v	500/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
14	Cable - Unarmoured PVC / XLPE Cable																
i	1 C X 16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
ii	1 C X 25 Sqmm	KM	102.000	109.000	0.000	91.000	0.000	0.000	24.778	130.000	31.645	0.000	0.000	38.780	158.423	368.780	
iii	1 C X 50 Sqmm	KM	14.000	14.800	0.000	14.000	0.000	0.000	13.600	70.000	21.735	0.000	0.000	21.202	49.335	120.002	
iv	1 C X 70 Sqmm	KM	47.930	52.000	0.000	36.000	53.988	0.000	10.367	128.000	59.427	0.000	0.000	71.574	171.712	287.574	
v	1 C X 150 Sqmm	KM	31.000	7.000	0.000	17.000	38.730	0.000	0.085	43.000	43.219	0.000	0.000	51.859	113.034	118.859	
vi	1 C X 300 Sqmm	KM	6.000	0.000	0.000	3.000	0.000	0.000	0.000	21.000	8.106	0.000	0.000	7.230	14.106	31.230	
vii	4 C X 16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	5.746	0.000	0.000	0.000	0.000	0.000	5.746	0.000	
viii	4 C X 25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
15	Cable - Multicore Armoured PVC Cable																
i	2 C X 2.5 Sqmm	KM	6.023	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	6.023	0.000	
ii	4 C X 2.5 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 30.11.2017

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL		
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	
iii	2 C X 4 Sqmm	KM	105.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	105.000	0.000
iv	4 C X 4 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
v	4 C X 6 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	121.037	0.000	121.037	0.000
vi	4 C X 8 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vii	4 C X 10 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
16	Cable - HT XLPE Cable																
i	3 C X 70 Sqmm 11 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.397	0.000	0.000	0.000	0.000	0.000	0.000	0.397	0.000
ii	3 C X 185 Sqmm 11 KV	KM	27.437	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	27.437	0.000
iii	3 C X 300 Sqmm 11 KV	KM	2.377	0.000	0.000	0.000	0.000	0.000	2.492	0.000	0.000	0.000	0.000	0.000	0.000	4.869	0.000
iv	3 C X 185 Sqmm 33 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	2.026	0.000	0.000	0.000	0.000	0.000	0.000	2.026	0.000
v	3 C X 300 Sqmm 33 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.241	0.000	0.000	0.000	0.000	0.000	0.000	0.241	0.000
17	Cable - LT AB Cable																
i	1X25+1X25+1X25 Sqmm	KM	42.000	0.000	0.000	45.000	0.000	0.000	90.308	0.000	0.000	0.000	0.000	0.000	0.000	132.308	45.000
ii	3X16+1X16+1X25 Sqmm	KM	6.700	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	10.033	0.000	16.733	0.000	0.000
iii	3X25+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iv	3X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
v	3X25+1X35 Sqmm	KM	102.028	0.000	0.000	60.000	0.000	0.000	0.000	0.000	28.901	0.000	14.924	0.000	145.853	60.000	0.000
vi	3X25+1X35+1X16 Sqmm	KM	0.586	0.000	0.000	0.000	0.000	0.000	0.000	0.000	86.169	0.000	0.000	0.000	86.755	0.000	0.000
vii	3X35+1X16+1X25 Sqmm	KM	0.000	0.000	83.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	83.000	0.000	0.000
viii	3X35+1X35+1X16 Sqmm	KM	0.000	0.000	28.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	28.000	0.000	0.000
ix	3X50+1X16+1X35 Sqmm	KM	62.502	0.000	0.000	0.000	0.000	0.000	0.000	0.000	94.480	0.000	0.000	0.000	156.982	0.000	0.000
x	3X70+1X16+1X50 Sqmm	KM	0.000	0.000	0.000	5.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	5.000	0.000
xi	3X95+1X16+1X70 Sqmm	KM	0.000	21.200	0.000	0.000	0.000	0.000	0.000	14.000	0.000	0.000	0.000	0.000	0.000	0.000	35.200
18	STEEL SECTIONS																
i	Rail Pole	MT	0.000	0.000	0.000	0.000	3.280	0.000	0.000	0.000	0.000	0.000	0.000	0.000	3.280	0.000	0.000
ii	H-Beam 152 x 152 mm	MT	0.799	0.000	17.080	27.330	162.480	0.000	141.116	0.000	169.770	0.000	22.455	141.480	513.700	168.810	0.000
iii	RS Joist 175 x 85 mm	MT	193.920	0.000	47.891	0.000	61.230	0.000	69.535	0.000	121.405	149.820	0.000	0.000	493.981	149.820	0.000
iv	MS Angle 75 x 75 x 6 mm	MT	5.380	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	3.000	0.000	8.380	0.000	0.000
v	MS Angle 65 x 65 x 6 mm	MT	227.642	0.000	0.000	0.000	39.560	0.000	74.464	0.000	52.940	50.210	41.530	49.980	436.136	100.190	0.000
vi	MS Angle 50 x 50 x 6 mm	MT	52.626	0.000	12.790	0.000	0.000	0.000	14.138	0.000	12.194	0.000	22.145	0.000	113.893	0.000	0.000
vii	MS Channel 100 x 50 x 5 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.461	0.000	7.655	49.990	28.360	29.960	36.476	79.950	0.000
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	39.070	0.000	39.070	0.000	0.000
ix	MS Channel 65 x 65 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
x	MS Flat 75 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
xi	MS Flat 65 x 8 mm	MT	95.605	0.000	0.000	20.000	11.070	0.000	47.527	0.000	9.990	9.920	0.000	10.960	164.192	40.880	0.000
xii	MS Flat 50 x 6 mm	MT	5.857	0.000	0.410	0.000	3.200	0.000	0.000	0.000	7.640	0.000	11.280	0.000	28.387	0.000	0.000
19	GI WIRES																
i	6 SWG	MT	65.280	0.000	0.000	0.000	1.930	0.000	74.625	0.000	0.505	0.000	0.000	0.000	142.340	0.000	0.000
ii	8 SWG	MT	30.306	0.000	18.362	0.000	29.310	0.000	47.740	0.000	12.333	0.000	37.085	0.000	175.136	0.000	0.000
iii	10 SWG	MT	5.679	0.000	0.000	0.000	0.000	0.000	4.367	0.000	1.200	0.000	0.000	0.000	11.246	0.000	0.000
20	STAY WIRES																
i	7/8 SWG	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	7/10 SWG	MT	38.351	0.000	20.581	0.000	25.060	0.000	57.273	0.000	24.363	0.000	79.474	0.000	245.102	0.000	0.000
21	HARDWARES																
i	LT SHACKLE H/W 90X75	Nos.	34264	0	0	0	0	0	0	0	0	0	0	0	34264	0	0
ii	11 KV H/W	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	33 KV H/W (Panther)	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	INSULATORS																
i	SHACKLE 90 X 75	Nos.	37364	0	0	0	0	0	0	0	0	0	0	0	37364	0	0
ii	SHACKLE 65 X 50	Nos.	45363	0	0	0	0	0	588	0	0	0	0	0	45951	0	0
iii	STAY INSULATOR 90X65	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	11 KV Polymer Pin Insulator	Nos.	0	0	0	1826	0	0	11	2000	1232	0	0	6400	1243	10226	0

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 30.11.2017

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
ii	BATTERY CHARGER	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
36	OIL X-MER															
i	Fresh Oil	KL	94.818	0.000	0.000	24.000	25.000	0.000	0.000	30.000	0.000	0.000	0.000	0.000	119.818	54.000
ii	Reclaimed Oil	KL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
iii	Burnt Oil	KL	40.000	0.000	121.170	0.000	90.000	0.000	32.139	0.000	44.000	0.000	51.203	378.512	0.000	
37	Male Female Contact suitable for															
i	11 KV A.B.Switch	No.	425	0	0	0	0	0	1673	0	0	0	0	2098	0	
ii	33 KV A.B.Switch	No.	10	0	0	0	0	0	0	0	0	0	0	10	0	
38	ALU. LUGS															
i	16 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	
ii	25 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	
iii	35 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	
iv	70 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	
v	150 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	
vi	300 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	
39 (a)	DPC Aluminium Round Wire															
i	0.79 mm	Kg.	0.00	0	0.000	0.000	0	0	0.00	0	0.000	0.000	0.00	0.00	0.00	
i	0.81 mm	Kg.	0.00	0	0.000	0.000	0	0	0.00	0	0.000	0.000	0.00	0.00	0.00	
ii	1.03 mm	Kg.	3279.70	0	0.000	0.000	0	0	0.00	0	0.000	0.000	0.00	3279.70	0.00	
iii	1.25 mm	Kg.	0.00	0	0.000	0.000	0	0	0.00	0	0.000	0.000	0.00	0.00	0.00	
iv	1.33 mm	Kg.	#####	0	0.000	0.000	0	0	0.00	0	0.000	0.000	0.00	11105.9	0.00	
v	1.60 mm	Kg.	0.000	0	0.000	0.000	0	0	0.000	0	0.000	0.000	0.00	0.00	0.00	
vi	1.70 mm	Kg.	0.00	0	0.000	0.000	0	0	0.00	0	0.000	0.000	0.00	0.00	0.00	
vii	2.00 mm	Kg.	0.00	0	0.000	0.000	0	0	0.00	0	0.000	0.000	0.00	0.00	0.00	
viii	2.20 mm	Kg.	0.00	0	0.000	0.000	0	0	0.00	0	0.000	0.000	0.00	0.00	0.00	
39 (b)	DPC Aluminium Rectangular Wire															
i	11 X 4 mm	Kg.	1325.25	0	0.000	0.000	0	0	0.00	0	0.000	0.000	0.00	1325.25	0.00	
ii	11 X 5.5 mm	Kg.	3250.49	0	0.000	0.000	0	0	0.00	0	0.000	0.000	0.00	3250.49	0.00	
iii	7.2 X 5.5 mm	Kg.	0.0	0	0.000	0.000	0	0	0.0	0	0.000	0.000	0.0	0.00	0.00	
iv	7.25 X 3.13 mm	Kg.	0.0	0	0.000	0.000	0	0	0.0	0	0.000	0.000	0.0	0.00	0.00	
v	10.6 x 4.6 mm	Kg.	678.300	0	0.000	0.000	0	0	0.000	0	0.000	0.000	0.000	678.30	0.00	
40 (a)	DPC Copper Round Wire															
i	1.95 mm dia	Kg.	0.000	0	0.000	0.000	0	0	0.000	0	0.000	0.000	0.000	0.00	0.00	
40 (b)	DPC Copper Rectangular Wire															
i	8.4 X 3.7 mm	Kg.	780.75	0	0.000	0.000	0	0	0.00	0	0.000	0.000	0.00	780.75	0.00	
41	HV / LV Brass Stud for Dist.X-mer															
i	LV 20 MM	No.	0	0	0	0	0	0	3325	0	0	0	0	3325	0	
ii	HV	No.	0	0	0	0	0	0	1500	0	0	0	0	1500	0	
42	TPC Copper Strips															
		Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	
43	Press Board															
i	1 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	
ii	2 MM	Kg.	0	0	0	0	0	0	495	0	0	0	0	495	0	
iii	3 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	
44	Kraft Paper															
		Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	
45	Gasket Sheet															
i	5 MM	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	
ii	6 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	
iii	9 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	
46	HRC Fuse Base & Link -															
		0														
i	Base - 250 Amp.	No.	0	0	0	0	0	0	300	0	0	0	0	300	0	
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	
iv	Link - 250 Amp./200 Amp	No.	613	0	0	0	0	0	1185	0	0	0	0	1798	0	

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 30.11.2017

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
v	Link - 300 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vi	Link - 400 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47	LT Pole Fuse Unit & Robust Fuse Unit	No.	45	0	49	0	65	0	232	0	2107	0	1448	0	3946	0
48	Pole Mounted Service connection Box															
i	Single Phase	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	Three Phase	No.	1526	0	0	0	600	0	1526	1526	40	0	100	0	3792	1526
49	MCB															
i	Single Pole 16 Amp.	No.	11483	0	0	0	0	0	898	0	0	0	0	0	12381	0
ii	Three Pole 32 Amp.	No.	4718	0	0	0	0	0	301	0	0	0	500	0	5519	0
50	Poly Carbonate Meter Box															
i	Single Phase	No.	0	0	903	0	0	0	23943	0	18126	0	0	0	42972	0
ii	Three Phase	No.	1445	0	60	0	0	0	4777	0	0	0	0	0	6282	0
51	Barbed Wire	Kg.	0	0	0	0	0	0	2931	0	0	0	0	0	2931	0
52	Safety Appliances															
i	Cutting Plier	No.	0	0	0	0	0	0	1672	0	0	0	0	0	1672	0
ii	Lineman Tool Bag	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	Safety Jhoola Belt	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	Screw Driver	No.	0	0	0	0	0	0	77	0	0	0	0	0	77	0
53	Hand Gloves	No.	0	0	0	0	0	0	446	0	0	0	0	0	446	0
54	Rubber Ankle Shoes	No.	0	0	0	0	0	0	35	0	0	0	0	0	35	0
55	Liveries Terrycot & Woolen-															
i	Khaki Terrycot	Mtr.	2622.63	0.00	0.00	0.00	0.00	0.00	1768.00	0.00	0.00	0.00	162.00	0	4552.63	0.00
ii	White Terrycot	Mtr.	283.86	0.00	0.00	0.00	0.00	0.00	458.00	0.00	0.00	0.00	40.00	0	781.86	0.00
iii	Blue Woolen	Mtr.	20.25	0.00	0.00	0.00	0.00	0.00	51.00	0.00	0.00	0.00	10.00	0.00	81.25	0.00
iv	Khaki Woolen	Mtr.	9.75	0.00	0.00	0.00	0.00	0.00	117.00	0.00	0.00	0.00	0.00	0	126.75	0.00
v	Khaki Cellular	Mtr.	0.00	0.00	0.00	0.00	0.00	0.00	2191.00	0.00	0.00	0.00	285.00	0	2476.00	0.00
56	Scrap Conductor	Kg.	0	0	54745	0	3300	0	215804	0	0	0	24085	0	297934	0
57	Earthing Coil	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
58	Search Light 200/250 W	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
59	MS Nut & Bolt															
i	M.S.Nut Bolt 16 X 200	Kg.	719	0	0	0	0	0	0	2160	0	0	0	0	719	2160
ii	M.S.Nut Bolt 16 X 160	Kg.	0	0	0	0	0	0	0	2090	0	0	0	0	0	2090
iii	M.S.Nut Bolt 16 X 140	Kg.	0	0	0	0	0	0	0	2460	0	0	0	0	0	2460
iv	M.S.Nut Bolt 16 X 90	Kg.	0	0	0	0	0	0	0	1790	0	0	0	0	0	1790
v	M.S.Nut Bolt 16 X 65	Kg.	0	0	0	0	0	0	0	1490	0	0	0	0	0	1490
vi	M.S.Nut Bolt 12 X 65	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	M.S.Nut Bolt 12 X 140	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
viii	M.S.Nut Bolt 12 X 300	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ix	M.S.Nut Bolt 12 X 100	Kg.	720	0	0	0	0	0	0	450	0	0	0	0	720	450
x	M.S.Nut Bolt 16 X 250	Kg.	0	0	0	0	0	0	0	200	0	0	0	0	0	200
60	Clamp & Connector															
i	Suspension Clamp Ass.for LT Cable 25-50	Nos.	0	0	0	0	0	0	200	10470	0	0	0	0	200	10470
ii	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	0	0	0	0	0	0	104	9000	0	0	0	0	104	9000
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	0	0	0	0	0	0	9980	0	0	0	0	0	9980
vi	T-Clamp for Dog	Nos.	0	0	3004	0	0	0	29	0	0	0	0	0	3033	0
61	11 KV RVT															
i	(RVT) OUTDOOR TYPE	Nos.	59	0	0	0	0	0	0	0	0	0	0	0	59	0
62	11 KV CAPACITOR SWITCH															
i	11 KV Outdoor Automatic Capacitor switch	Nos.	40	0	0	0	0	0	0	0	0	0	0	0	40	0
63	LT CT Meter Box															
i	LT CT Meter Box	Nos.	403	0	0	0	0	0	0	0	0	0	0	0	403	0

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 30.11.2017

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL		
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	
64	HT Meter Box																
i	HT Meter Box	Nos.	203	0	0	0	0	0	0	0	0	0	0	0	0	203	0
65	BI-METALLIC CLAMPS																
i	LV	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0