

M.P.P.K.V.V.CO.LTD., INDORE
STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.5.2017

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.
1	DIST.TRANSFORMER															
i	25 KVA (N)	Nos.	0	421	0	33	0	130	0	496	0	36	0	4	0	1120
ii	25 KVA (3)	Nos.	915	0	664	0	815	0	397	0	494	0	462	0	3747	0
iii	63 KVA	Nos.	0	383	0	636	0	547	0	814	0	133	0	700	0	3213
iv	100 KVA (N)	Nos.	0	2516	0	1071	0	517	0	1237	0	1159	0	1271	0	7771
v	100 KVA (3)	Nos.	830	0	282	0	145	0	907	0	166	0	198	0	2528	0
vi	200 KVA (N)	Nos.	0	60	0	63	0	9	0	68	0	30	0	23	0	253
vii	200 KVA (3)	Nos.	0	0	8	0	0	0	8	0	0	0	0	0	16	0
viii	315 KVA	Nos.	0	20	0	0	0	0	28	1	0	1	0	0	28	22
2	POWER X'MERS															
i	1.6 MVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3.15MVA	Nos.	0	16	0	32	0	0	0	46	0	25	0	38	0	157
iii	5.0 MVA	Nos.	0	3	0	0	0	0	1	0	1	0	0	0	5	
iv	8.0 MVA	Nos.	3	1	0	0	0	0	3	0	0	0	0	0	6	1
v	10.0 MVA	Nos.	3	0	0	0	0	0	0	0	0	0	0	0	3	0
3	CT/PT UNITS		11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV
i	2.5/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	5/5 AMP	Nos.	0	20(U/T)	0	0	0	0	0	0	0	0	0	0	0	20
iii	7.5/5 AMP	Nos.	43	0	1	0	0	0	19	0	0	0	1	0	64	0
iv	10/5 AMP	Nos.	0	25	0	0	0	0	0	0	0	0	0	0	0	25
v	15/5 AMP	Nos.	39	0	0	0	0	0	1	0	0	0	0	0	40	0
vi	20/5 AMP	Nos.	0	19	0	0	0	0	0	1	0	0	0	0	0	20
vii	25/5 AMP	Nos.	4	0	0	0	0	0	3	0	0	0	0	0	7	0
viii	30/5 AMP	Nos.	0	4	0	0	0	0	0	1	0	0	0	0	5	
ix	50/5 AMP	Nos.	0	20	0	2	0	0	1	4	0	0	0	0	1	26
x	75/5 AMP	Nos.	0	2	0	0	0	0	0	0	0	0	0	0	0	2
xi	100/5 AMP	Nos.	2	30	0	0	0	0	4	0	0	0	0	0	6	30
xii	200/5 AMP	Nos.	2	23	0	0	0	0	0	0	0	0	0	0	2	23
xiii	300/5 AMP	Nos.	0	0	0	0	0	0	3	0	0	0	0	0	3	
xiv	100-50/5 A	Nos.	0	0	0	0	0	0	1	0	0	0	0	0	1	
xv	300-150/5 A	Nos.	1	3	0	0	0	0	89	0	33	0	0	0	1	125
xvi	400-200/5 A	Nos.	0	17 + 29(UT)	0	0	0	0	0	0	0	0	0	0	0	46
xvii	200-100/5 A	Nos.	0	65	0	0	0	0	0	0	0	0	0	0	0	65
4	CONTROL PANEL		Feeder	X-mer	Feeder	X-mer	Feeder	Capacitor	Feeder	X-mer	Feeder	X-mer	Feeder	X-mer	Feeder	X-mer
i	11KV	Nos.	0	0	0	7	0	11	10	0	8	0	0	0	18	18
ii	33KV	Nos.	0	0	0	4	11	0	0	0	38	8	0	19	42	
5	CABLE COPPER CON		UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.
i	2 Core 2.5 S	Mtr.	34910	0	0	0	1000	0	0	0	0	0	0	0	35910	0
ii	3 Core 2.5 S	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	4 Core 2.5 S	Mtr.	4411 + 6810(U/T)	0	0	0	0	0	2547	0	0	0	0	0	13768	0
iv	8 Core 2.5 S	Mtr.	16200-UT	0.000	0	0	0	0	0	0	0	0	0	0	16200	0
v	12 Core 2.5 S	Mtr.	2000	0.000	0	0	0	0	1003	0	0	0	0	0	3003	0
vi	10 Core 2.5 S	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	4 Core 24 S	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	D.O.FUSE ELEMENTS		11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV
i	1.5 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	5 Amp.	No.	0	0	0	0	0	0	1095	0	0	0	0	0	1095	0
iv	7.5 Amp.	No.	0	0	0	0	0	0	1673	0	0	0	0	0	1673	0
v	10 Amp.	No.	0	0	0	0	0	0	3576	0	0	0	0	0	3576	0
vi	15 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	25 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
viii	50 Amp.	No.	0	0	0	0	0	0	0	7486	0	0	0	0	0	7486
ix	75 Amp.	No.	0	0	0	0	0	0	0	3141	0	0	0	0	0	3141
x	100 Amp.	No.	0	0	0	0	0	0	0	1797	0	0	0	0	0	1797

M.P.P.K.V.V.CO.LTD., INDORE
STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.5.2017

No.	NAME OF MATERIALS	UNIT	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL
7	CONDUCTOR								
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	AAAC-03 WEASEL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iii	AAAC-05 RABBIT	KM	0.000	0.000	0.000	0.000	7.000	0.000	7.000
iv	AAAC-075 RACCON	KM	37.338	14.832	14.398	37.000	0.000	0.000	103.568
v	AAAC-DOG	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vi	AAAC Panther conductor 0.20 sq. inch	KM	7.258	0.000	0	4.004	0.000	0.000	11.262
8	LIGHTING ARRESTERS								
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	0	0	0	0	0	0
ii	11 KV 5 KA - Line type	Nos.	0	0	0	0	0	0	0
iii	33 KV 10 KA - Line type	Nos.	73	0	0	0	0	0	73
iv	11 KV 10 KA - Station type	Nos.	0	0	0	0	0	0	0
9	VCB								
i	11 KV	Nos.	9	14	4	0	17	11	55
ii	33 KV 30V	Nos.	39+29 UT	24	10	40	30	18+29 UT	219
10	STAY SET								
i	16 MM/Painted	Nos.	2050-U/T	1770	1232	4000	3385	1050	13487
ii	20 MM	Nos.	0	0	0	0	0	0	0
11	C.T.s								
i	11 KV CT 200-100/5-5 A	Nos.	3	0	0	2 (60 U/T)	0	0	65
ii	11 KV CT 300-150/5-5 A	Nos.	0	0	0	2	0	0	2
iii	11 KV CT 400-200/5-5 A	Nos.	0	0	0	0	0	0	0
iv	11 KV CT 600-300/5-5 A	Nos.	3	0	0	6	0	0	9
v	11 KV CT 600-300/5-5-1 A	Nos.	0	0	0	0	0	0	0
vi	33 KV CT 200-100/5-5 A	Nos.	129	0	0	0	0	0	129
vii	33 KV CT 300-150/5-5 A	Nos.	2	0	0	1 (68 U/T)	0	0	71
viii	33 KV CT 200-100/5-5-1 A	Nos.	2	0	0	(137 U/T)	0	0	139
ix	132 KV CT 50/1	Nos.	1	0	0	0	0	0	1
x	132 KV CT 100/1	Nos.	16	0	0	3	0	0	19
xi	132 KV CT 200/1	Nos.	7	0	0	0	0	0	7
12	P.T.s								
i	11 KV PT	Nos.	0	0	0	0	0	0	0
ii	33 KV PT	Nos.	59	0	0	0	0	0	59
iii	132 KV PT	Nos.	27	0	0	0	0	0	27
13	LT / CT								
i	100/5 AMP	Nos.	198	0	0	100	0	0	298
ii	200/5 AMP	Nos.	0	0	0	0	0	0	0
iii	300/5 AMP	Nos.	0	0	0	0	0	0	0
iv	400/5 AMP	Nos.	0	0	0	0	0	0	0
v	500/5 AMP	Nos.	0	0	0	0	0	0	0
14	Cable - Unarmoured PVC / XLPE Cable								
i	1 C X 16 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
ii	1 C X 25 Sqmm	KM	0.000	0.000	0	0.382	1.000	0.000	1.382
iii	1 C X 70 Sqmm	KM	0.000	0.000	1.000	0.000	0.000	0.000	1.000
iv	1 C X 150 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
v	1 C X 300 Sqmm	KM	0.000	0	0	6.600	0.000	0.000	6.600
vi	4 C X 16 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
vii	4 C X 25 Sqmm	KM	0.000	0	0	5.334	0.000	0.000	5.334
15	Cable - Multicore Armoured PVC Cable								
i	2 C X 2.5 Sqmm	KM	18.010 - UT	0	0	6.054	0.000	0.000	24.064
ii	4 C X 2.5 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
iii	2 C X 4 Sqmm	KM	121.964 - UT	0	0	0.000	0.000	0.000	121.964
iv	4 C X 4 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
v	4 C X 6 Sqmm	KM	0.000	0	0	0.000	0.000	121.037	121.037
vi	4 C X 8 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
vii	4 C X 10 Sqmm	KM	0.000	0	0	1.000	0.000	0.000	1.000
viii	4 C X 16 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
ix	4 C X 25 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000

x	3.5 C X 35 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
xi	3.5 C X 70 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
xii	3.5 C X 150 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
xiii	3.5 C X 300 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
16	Cable - HT XLPE Cable								
i	3 C X 70 Sqmm 11 KV	KM	0.000	0	0	0.397	0.000	0.000	0.397
ii	3 C X 185 Sqmm 11 KV	KM	3.116	0	0	0.000	0.000	0.000	3.116
iii	3 C X 300 Sqmm 11 KV	KM	2.629	0	0	2.492	0.000	0.000	5.121
iv	3 C X 185 Sqmm 33 KV	KM	0.000	0	0	2.026	0.000	0.248	2.274
v	3 C X 300 Sqmm 33 KV	KM	0.659	0	0	0.241	0.000	0.000	0.900
17	Cable - LT AB Cable								
i	3X25+1X35 Sqmm	KM	0.000	0	0.000	109.660	0.000	49.815 - UT	159.475
ii	3X25+1X16+1X25 Sqmm	KM	127.585	0	0	0.000	0.000	0.000	127.585
iii	3X35+1X16+1X25 Sqmm	KM	0.000	33.118 - UT	0	0.000	0.000	0.000	33.118
iv	3X50+1X16+1X35 Sqmm	KM	120.190	0	0	13.036	0.000	0.000	133.226
v	3X70+1X16+1X50 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
vi	3X95+1X16+1X70 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
18	STEEL SECTIONS								
i	Rail Pole	MT	0.00	0	0	0.00	0.00	0.00	0.000
ii	H-Beam 152 x 152 mm	MT	0.000	193.16	0	19.416	4.000	0.000	216.576
iii	RS Joist 175 x 85 mm	MT	382.010	104.420	42.010	39.105	133.000	0.000	700.545
iv	MS Angle 75 x 75 x 6 mm	MT	0.000	0	0	0.000	0.000	0.000	0.000
v	MS Angle 65 x 65 x 6 mm	MT	366.265	117.795	39.550	150.000	0.000	0.000	673.610
vi	MS Angle 50 x 50 x 6 mm	MT	0.000	28.190	0	0.000	2.000	0.000	30.190
vii	MS Channel 100 x 50 x 5 mm	MT	0.723	113.220	33.310	80.000	3.000	0.880	231.133
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	0	0	0.000	0.000	30.470	30.470
ix	MS Channel 65 x 65 x 6 mm	MT	0.00	0	0	0.00	0.00	93.350	93.350
x	MS Flat 75 x 6 mm	MT	1.550	0	0	0.000	0.000	3.000	4.550
xi	MS Flat 65 x 8 mm	MT	98.765	0.000	2.790	27.567	0.000	0.000	129.122
xii	MS Flat 50 x 6 mm	MT	0.000	15.155	10.000	40.000	0.000	34.240	99.395
19	GI WIRES								
i	6 SWG	MT	66.680	0	2.000	74.625	0.000	0.000	143.305
ii	8 SWG	MT	28.591 + 15.945	1.915	20.800	20.850 + 21.000	0.000	0.000	109.101
iii	10 SWG	MT	6.123	0	0	4.367	0.000	15.494	25.984
20	STAY WIRES								
i	7/8 SWG	MT	0.000	0.00	0.00	0.000	0.000	0.000	0.000
ii	7/10 SWG	MT	38.319	10.095	31.550 + 21.460 UT	50.255	12.000	53.114 + 43.310 UT	260.103
21	HARDWARES								
i	LT SHACKLE H/W 90X75	Nos.	54087	2195	0	0	0	0	56282
ii	11 KV H/W	Nos.	0	0	0	0	0	0	0
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0
iv	33 KV H/W (Panther)	Nos.	80	0	0	0	0	0	80
22	INSULATORS								
i	SHACKLE 90 X 75	Nos.	0	0	0	0	0	0	0
ii	SHACKLE 65 X 50	Nos.	50315	0	0	2288	0	0	52603
iii	STAY INSULATOR 90X65	Nos.	6816	0	0	0	0	0	6816
iv	11 KV PIN INSULATOR	Nos.	0	0	0	0	0	0	0
v	33 KV PIN INSULATOR	Nos.	0	0	0	0	0	500	500
vi	DISC INSULATOR 45 KN	Nos.	0	0	0	0	0	0	0
vii	11 KV Polymer Pin Insulator	Nos.	10826-UT	0	0	2500	100	0	13426
viii	33 KV Polymer Pin Insulator	Nos.	0	0	184	0	0	0	184
ix	11 KV Polymer Disc Insulator 45 KN	Nos.	2500-UT	2020	2065	0	212	0	6797
x	33 KV Polymer Disc Insulator	Nos.	0	0	60	0	0	500	560
23	DO SETS								
i	11 KV	Nos.	1633-UT	36	1019-UT	0	0	888+1398 UT	4974
ii	33 KV	Nos.	78	0	0	0	0	0	78
24	AB SWITHCES								
i	33 KV	Nos.	0	0	0	0	0	0	0
ii	11 KV 1 PHASE	Nos.	15	0	0	15	53	0	83
iii	11 KV 3 PHASE	Nos.	2	0	9	97	0	44	152
25	DIST. BOXES								
i	25 KVA	Nos.	0	0	0	0	0	0	0
ii	63 KVA	Nos.	0	0	0	3	0	0	3
iii	100 KVA	Nos.	166	108	197	168	0	205	844
iv	200 KVA	Nos.	233 (U/T)	0	0	57	0	0	290

v	315 KVA	Nos.	0	0	0	2	0	0	2
26	CAPACITORS								
i	121 KVAR	Nos.	25	0	0	14	0	0	39
ii	242 KVAR	Nos.	0	0	0	0	0	0	0
27	PC CUT OUT								
i	63 AMP.	Nos.	0	0	0	0	0	0	0
ii	100 AMP.	Nos.	0	0	0	801	0	0	801
iii	200 AMP.	Nos.	0	8993	0	517	7700	0	17210
iv	300 AMP.	Nos.	0	0	0	96	0	0	96
28	METER NEW ELECTRONIC								
i	1 PHASE 5-30 Amp.	Nos.	31409	8139	3580	6632	7725	11408	68893
ii	3 PHASE 10-40 Amp.	Nos.	5336	763	202	1700	516	1229	9746
iii	3 PHASE 20-100 Amp.	Nos.	0	0	0	0	0	0	0
iv	Whole Current 40-200 Amp.	Nos.	23	0	0	10	0	0	33
v	LT C.T. Meter 100/5 Amp.	Nos.	123	0	0	0	2	0	125
vi	HT Meter - 110 V	Nos.	105	0	0	0	0	0	105
vii	HT Meter - 110 V S/S.	Nos.	537	0	0	0	0	0	537
29	MAIN SWITHCES								
i	32 AMP.	Nos.	0	0	7	505	0	2653	3165
ii	63 AMP.	Nos.	343	0	8	2454	0	0	2805
iii	100 AMP.	Nos.	0	0	0	3200	0	0	3200
iv	200 AMP.	Nos.	0	0	0	16	0	0	16
v	320 AMP.	Nos.	0	0	0	0	0	0	0
vi	400 AMP.	Nos.	0	0	0	0	0	0	0
30	G.I. PINS								
i	11 KV	Nos.	0	0	2058	0	0	0	2058
ii	33 KV	Nos.	677	0	0	0	0	0	677
31	G.I.CONDUIT PIPE								
i	20 MM	Mtr.	0	0	0	0	0	0	0
ii	40 MM	Mtr.	9425 + 5000(U/T)	606+9000 UT	5960 + 1595 UT	7459	6200	8744 + 4000 UT	57989
32	P.T. 110VOLT								
i	11 KV	Nos.	0	0	0	0	0	0	0
ii	33 KV	Nos.	0	0	0	45	0	0	45
33	ISOLATORS								
i	11 KV	Nos.	130	154	218	142	9	190	843
ii	33 KV	Nos.	0	0	0	0	0	0	0
34	PCC POLES								
i	140 KG	Nos.	2134	4429	1631	6420	1638	297	16549
ii	280 KG	Nos.	0	1448	406	110	61	0	2025
iii	350 KG	Nos.	0	16	0	0	0	0	16
35	BATTERY & CHARGER								
i	BATTERY	Nos.	37	0	0	0	0	0	37
ii	BATTERY CHARGER	Nos.	22	0	0	0	0	0	22
36	OIL X-MER								
i	Fresh Oil	KL	53.789	1.442	28.143	20.000	12.000	15.609	130.983
ii	Reclaimed Oil	KL	0.000	0	0	0.000	0.000	0.000	0.000
iii	Burnt Oil	KL	20.000	30.515	12.000	16.000	20.000	60.003	158.518
37	Male Female Contact suitable for								
i	11 KV A.B.Switch	No.	0	0	0	4848	53	0	4901
ii	33 KV A.B.Switch	No.	0	0	0	0	0	0	0
38	ALU. LUGS								
i	16 Sq.mm	No.	2605	0	0	0	0	0	2605
ii	25 Sq.mm	No.	1809	0	0	0	0	0	1809
iii	35 Sq.mm	No.	0	0	0	0	0	0	0
iv	70 Sq.mm	No.	20000	0	0	0	0	0	20000
v	150 Sq.mm	No.	502	0	0	0	0	0	502
vi	300 Sq.mm	No.	0	0	0	502	0	0	502
39 (a)	DPC Aluminium Round Wire								
i	0.79 mm	Kg.	2053.45	0	0	0.00	0.00	0.00	2053.45
i	0.81 mm	Kg.	2006.14	0	0	0.00	0.00	0.00	2006.14
ii	1.03 mm	Kg.	3279.70	0	0	0.00	0.00	0.00	3279.70
iii	1.25 mm	Kg.	1542.28	0	0	0.00	0.00	0.00	1542.28
iv	1.33 mm	Kg.	11105.900	0	0	0.000	0.00	0.000	11105.90
v	1.60 mm	Kg.	1752.25	0	0	0.000	0.00	0.000	1752.25
vi	1.70 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00

vii	2.00 mm	Kg.	2700.30	0	0	0.00	0.00	0.00	2700.30
viii	2.20 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
39 (b)	DPC Aluminium Rectangular Wire								
i	11 X 4 mm	Kg.	1419.55	0	0	0.00	0.00	0.00	1419.55
ii	11 X 5.5 mm	Kg.	3373.14	0	0	0.00	0.00	0.00	3373.14
iii	7.2 X 5.5 mm	Kg.	500.0	0	0	0.0	0.00	0.0	500.00
iv	7.25 X 3.13 mm	Kg.	998.900	0	0	0.0	0.00	0.0	998.90
v	10.6 x 4.6 mm	Kg.	0.000	0	0	0.000	0.00	0.000	0.00
40 (a)	DPC Copper Round Wire								
i	1.95 mm dia	Kg.	0.000	0	0	0.000	0.000	0.000	0.00
40 (b)	DPC Copper Rectangular Wire								
i	8.4 X 3.7 mm	Kg.	780.75	0	0	0.0	0.0	0.0	780.75
41	HV / LV Brass Stud for Dist.X-mer								
i	LV 20 MM	No.	0	0	0	5500	0	750	6250
ii	HV	No.	0	0	0	0	0	0	0
42	TPC Copper Strips	Kg.	0.0	0	0	0.0	0.0	0.0	0
43	Press Board								
i	1 MM	Kg.	700	0	0	0	0	0	700
ii	2 MM	Kg.	0	0	0	795	0	0	795
iii	3 MM	Kg.	0.00	0	0	0.00	0.00	0.00	0
44	Kraft Paper	Kg.	0	0	0	0	0	0	0
45	Gasket Sheet							0	
i	5 MM	No.	0	0	0	0	0	0	0
ii	6 MM	Kg.	0	0	0	0	0	0	0
iii	9 MM	Kg.	0	0	0	0	0	0	0
46	HRC Fuse Base & Link -								
i	Base - 250 Amp.	No.	0	0	0	0	0	0	0
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	0
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	0
iv	Link - 250 Amp./200 Amp	No.	2773	0	0	1285	0	0	4058
v	Link - 300 Amp.	No.	0	0	0	0	0	0	0
vi	Link - 400 Amp.	No.	0	0	0	0	0	0	0
47	LT Pole Fuse Unit & Robust Fuse Unit	No.	2573	450	1270	2259		0	6552
48	Pole Mounted Service connection Box								
i	Single Phase	No.	0	0	0	0	0	0	0
ii	Three Phase	No.	2202	0	600	682	40	100	3624
49	MCB								
i	Single Pole 16 Amp.	No.	14833	275	0	1898	0	0	17006
ii	Three Pole 32 Amp.	No.	6268	0	0	401	0	500	7169
50	Poly Corbonate Meter Box								
i	Single Phase	No.	0	0	0	25043	0	0	25043
ii	Three Phase	No.	1645	903	0	4802	0	0	7350
51	Barbed Wire	Kg.	5085	0	4225	2931	0	0	12241
52	Safety Appliances								
i	Cutting Plier	No.	0	0	0	0	0	0	0
ii	Lineman Tool Bag	No.	0	0	0	0	0	0	0
iii	Safety Jhoola Belt	No.	0	0	0	497	0	0	497
iv	Screw Driver	No.	0	0	0	127	0	0	127
53	Hand Gloves	No.	0	0	0	0	0	0	0
54	Rubber Ankle Shoes	No.	0	0	0	1260	0	0	1260
55	Liveries Terrycot & Woolen-								
i	Khaki Terrycot	Mtr.	2622.63	0	0	27812.00	0.00	441.00	30875.630
ii	White Terrycot	Mtr.	283.86	0	0	561.00	0.00	100.00	944.860
iii	Blue Woolen	Mtr.	20.25	1.50	0	62.00	0.00	10.00	93.750
iv	Khaki Woolen	Mtr.	9.75	0	0	117.00	0.00	20.00	146.750
v	Khaki Cellular	Mtr.	0.00	0	0	2751.00	0.00	464.00	3215.000
56	Scrap Conductor	Kg.	12090	40545	4103	187878	0	30375	274991
57	Earthing Coil	No.	0	0	0	0	0	0	0
58	Search Light 200/250 W	No.	0	0	0	0	0	0	0
59	MS Nut & Bolt								
i	M.S.Nut Bolt 16 X 200	Kg.	8780	0	0	170	0	0	8950
ii	M.S.Nut Bolt 16 X 160	Kg.	1850 + 7550(U/T)	0	0	0	0	0	9400
iii	M.S.Nut Bolt 16 X 140	Kg.	650	0	0	1000	0	0	1650
iv	M.S.Nut Bolt 16 X 90	Kg.	0	0	0	1200	0	0	1200
v	M.S.Nut Bolt 16 X 65	Kg.	5100 (U/T)	0	0	280	0	0	5380

vi	M.S.Nut Bolt 12 X 65	Kg.	0	0	0	0	0	0	0
vii	M.S.Nut Bolt 12 X 140	Kg.	15000(U/T)	0	0	0	0	0	15000
viii	M.S.Nut Bolt 12 X 300	Kg.	0	0	0	0	0	0	0
ix	M.S.Nut Bolt 12 X 100	Kg.	1320(U/T)	0	0	0	0	0	1320
x	M.S.Nut Bolt 16 X 250	Kg.	200 + 300(U/T)	0	0	0	0	0	500
60	Clamp & Connector								
i	Suspension Clamp Ass.for LT Cable 25-50	Nos.	0	0	0	0	0	0	0
ii	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	0	0	0	0	0	0	0
iii	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	0	0	0	104	0	0	104
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	0	0	0	0	0	0
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	0	0	0	0	0	0
vi	T-Clamp for Dog	Nos.	0	3124	0	479	0	0	3603
61	11 KV RVT								
i	(RVT) OUTDOOR TYPE	Nos.	59	0	0	0	0	0	59
62	11 KV CAPACITOR SWITCH								
i	11 KV Outdoor Automatic Capacitor switch	Nos.	40	0	0	0	0	0	40
63	LT CT Meter Box								
i	LT CT Meter Box	Nos.	477	0	0	0	0	0	477
64	HT Meter Box								
i	HT Meter Box	Nos.	0	0	0	0	0	0	0
65	BI-METALLIC CLAMPS								
i	LV	No.	20	0	0	0	0	0	20
ii	HV	No.	0	0	0	0	0	0	0