

M.P.P.K.V.V.CO.LTD., INDORE

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.8.2017

No.	NAME OF MATERIALS	UNI	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.	NEW	REP.
1	DIST.TRANSFORMERS															
i	25 KVA (Non Star)	Nos.	0	171	0	2	0	14	0	9	0	2	0	7	0	205
ii	25 KVA (3 Star)	Nos.	608	0	894	0	530	0	676	0	487	0	776	0	3971	0
iii	63 KVA	Nos.	0	388	0	520	0	420	0	638	0	108	0	624	0	2698
iv	100 KVA (Non Star)	Nos.	0	2583	0	820	0	482	0	1109	0	1169	0	1167	0	7330
v	100 KVA (3 Star)	Nos.	694	0	366	0	277	0	867	0	284	0	248	0	2736	0
vi	200 KVA (Non Star)	Nos.	0	36	0	59	0	4	0	48	0	8	0	0	0	155
vii	200 KVA (3 Star)	Nos.	0	0	0	0	0	0	1	0	0	0	0	0	1	0
viii	315 KVA	Nos.	0	7	0	0	0	0	16	1	0	1	0	0	16	9
2	POWER X'MERS															
i	1.6 MVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3.15MVA	Nos.	0	16	0	30	0	0	0	44	0	25	0	38	0	153
iii	5.0 MVA	Nos.	1	5	0	0	0	0	2	0	0	1	2	0	5	6
iv	8.0 MVA	Nos.	3	1	0	0	0	0	3	0	0	0	0	0	6	1
v	10.0 MVA	Nos.	3	0	0	0	0	0	0	0	0	0	0	0	3	0
3	CT/PT UNITS		11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV	11KV	33KV
i	2.5/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	5/5 AMP	Nos.	0	16(U/T)	0	0	0	0	0	0	0	0	0	0	0	16
iii	7.5/5 AMP	Nos.	19	0	1	0	0	0	17	0	0	0	1	0	38	0
iv	10/5 AMP	Nos.	0	4	0	0	0	0	0	0	0	0	0	0	4	0
v	15/5 AMP	Nos.	30	0	0	0	0	0	1	0	0	0	0	0	31	0
vi	20/5 AMP	Nos.	0	15	0	0	0	0	0	0	0	0	0	0	15	0
vii	25/5 AMP	Nos.	4	0	0	0	0	0	3	0	0	0	0	0	7	0
viii	30/5 AMP	Nos.	0	3	0	0	0	0	0	1	0	0	0	0	4	0
ix	50/5 AMP	Nos.	0	18	0	2	0	0	1	4	0	0	0	0	1	24
x	75/5 AMP	Nos.	0	2	0	0	0	0	0	0	0	0	0	0	0	2
xi	100/5 AMP	Nos.	2	30	0	0	0	0	4	0	0	0	0	0	6	30
xii	200/5 AMP	Nos.	0	21	0	0	0	0	0	0	0	0	0	0	0	21
xiii	300/5 AMP	Nos.	0	0	0	0	0	0	0	3	0	0	0	0	0	3
xiv	100-50/5 AMP	Nos.	0	0	0	0	0	0	0	1	0	0	0	0	0	1
xv	300-150/5 AMP	Nos.	15	0	0	0	0	0	0	63	0	32	0	0	15	95
xvi	400-200/5 AMP	Nos.	0	43	0	0	0	0	0	0	0	0	0	0	0	43
xvii	200-100/5 AMP	Nos.	0	42	0	0	0	0	6	0	0	0	0	0	6	42
4	CONTROL PANEL		Feeder	X-mer	Feeder	X-mer	Feeder	Capacitor	Feeder	X-mer	Feeder	X-mer	Feeder	X-mer	Feeder	X-mer
i	11KV	Nos.	0	3	0	7	0	11	0	0	11	0	8	0	19	21
ii	33KV	Nos.	0	4	0	0	1	0	0	0	0	1	0	0	1	5
5	CABLE COPPER CONTROL		UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.	UN-AR.	ARMD.
i	2 Core 2.5 Sq.mm	Mtr.	36830	0	0	0	1000	0	0	0	0	0	0	0	37830	0
ii	3 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	4 Core 2.5 Sq.mm	Mtr.	6810(UT)	0	0	0	0	0	95	0	0	0	0	0	6905	0
iv	8 Core 2.5 Sq.mm	Mtr.	30163 + 16200(UT)	0.000	0	0	0	0	0	0	0	0	0	0	46363	0
v	12 Core 2.5 Sq.mm	Mtr.	2907	0.000	0	0	0	0	502	0	0	0	0	0	3409	0
vi	10 Core 2.5 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	4 Core 24 Sq.mm	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	D.O.FUSE ELEMENTS		11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV	11 KV	33 KV
i	1.5 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	3 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	5 Amp.	No.	0	0	0	0	0	0	895	0	0	0	0	0	895	0
iv	7.5 Amp.	No.	0	0	0	0	0	0	1473	0	0	0	0	0	1473	0
v	10 Amp.	No.	0	0	0	0	0	0	3176	0	0	0	0	0	3176	0
vi	15 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	25 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
viii	50 Amp.	No.	0	0	0	0	0	0	0	7486	0	0	0	0	0	7486
ix	75 Amp.	No.	0	0	0	0	0	0	0	3141	0	0	0	0	0	3141
x	100 Amp.	No.	0	0	0	0	0	0	0	1797	0	0	0	0	0	1797

M.P.P.K.V.V.CO.LTD., INDORE

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.8.2017

No.	NAME OF MATERIALS	UNI	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL
7	CONDUCTOR								
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	AAAC-03 WEASEL	KM	24.660 + 33.598(U/T)	0.000	41.998-U/T	0.000	2.000	42 - U/T	144.256
iii	AAAC-05 RABBIT	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iv	AAAC-075 RACCON	KM	119.662	43.200	57.598	123.406	18.000	7.2 + 39.6 - U/T	408.666
v	AAAC-DOG	KM	72.000	4.800	0.000	109.200	14.400	0.000	200.400
vi	AAAC Panther conductor 0.20 sq. inch	KM	7.258	0.000	0	4.004	0.000	0.000	11.262
8	LIGHTING ARRESTERS								
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	0	0	0	0	0	0
ii	11 KV 5 KA - Line type	Nos.	0	0	0	0	0	0	0
iii	33 KV 10 KA - Line type	Nos.	0	0	0	0	0	0	0
iv	11 KV 10 KA - Station type	Nos.	0	0	0	0	0	0	0
9	VCB								
i	11 KV	Nos.	0	0	0	0	4	0	4
ii	33 KV 30V	Nos.	56	22	10+29 - U/T	34	22	9 + 29 - U/T	211
10	STAY SET								
i	16 MM/Painted	Nos.	3713	1800	8817	4454	1510	5387	25681
ii	20 MM	Nos.	0	0	0	0	0	0	0
11	C.T.s								
i	11 KV CT 200-100/5-5 A	Nos.	11	0	0	0	0	0	11
ii	11 KV CT 300-150/5-5 A	Nos.	24+125(U/T)	0	0	0	0	0	149
iii	11 KV CT 400-200/5-5 A	Nos.	0	0	0	0	0	0	0
iv	11 KV CT 600-300/5-5 A	Nos.	3	0	0	0	0	0	3
v	11 KV CT 600-300/5-5-1 A	Nos.	0	0	0	0	0	0	0
vi	33 KV CT 200-100/5-5 A	Nos.	205	0	0	168	0	0	373
vii	33 KV CT 300-150/5-5 A	Nos.	9	0	0	26	0	0	35
viii	33 KV CT 200-100/5-5-1 A	Nos.	2	0	0	0	0	0	2
ix	132 KV CT 50/1	Nos.	1	0	0	0	0	0	1
x	132 KV CT 100/1	Nos.	16	0	0	3	0	0	19
xi	132 KV CT 200/1	Nos.	7	0	0	0	0	0	7
12	P.T.s								
i	11 KV PT	Nos.	2+36(U/T)	0	0	0	0	0	38
ii	33 KV PT	Nos.	56	0	0	45	0	0	101
iii	132 KV PT	Nos.	27	0	0	0	0	0	27
13	LT / CT								
i	100/5 AMP	Nos.	122	0	0	100	0	0	222
ii	200/5 AMP	Nos.	0	0	0	0	0	0	0
iii	300/5 AMP	Nos.	0	0	0	0	0	0	0
iv	400/5 AMP	Nos.	0	0	0	0	0	0	0
v	500/5 AMP	Nos.	0	0	0	0	0	0	0
14	Cable - Unarmoured PVC / XLPE Cable								
	1 C X 50 Sqmm	KM	0	14 - U/T	0	0	21.735 U/T	21.719 U/T	57.454
i	1 C X 16 Sqmm	KM	0.000	0.000	0	0.000	0.000	0.000	0.000
ii	1 C X 25 Sqmm	KM	0.000	110 - U/T	0	41.151	46.317	38.780 -U/T	236.248
iii	1 C X 70 Sqmm	KM	0.000	52 - U/T	72.735 U/T	28.832	69.585	80.269 - U/T	303.421
iv	1 C X 150 Sqmm	KM	0.000	33 - U/T	52.325 U/T	20.534	54.563	56.859 - U/T	217.281
v	1 C X 300 Sqmm	KM	0.000	7 - U/T	0	2.120	12.210	10.730 - U/T	32.060
vi	4 C X 16 Sqmm	KM	0.000	0.000	0	0.000	0.000	0.000	0.000
vii	4 C X 25 Sqmm	KM	0.000	0.000	0	6.824	0.000	0.000	6.824
15	Cable - Multicore Armoured PVC Cable								
i	2 C X 2.5 Sqmm	KM	7.023	0	0	4.539	0.000	0.000	11.562
ii	4 C X 2.5 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
iii	2 C X 4 Sqmm	KM	139.962	0	0	0.000	0.000	0.000	139.962
iv	4 C X 4 Sqmm	KM	0.000	0	0	0.000	0.000	0.000	0.000
v	4 C X 6 Sqmm	KM	0.000	0	0	0.000	0.000	121.037	121.037
16	Cable - HT XLPE Cable								
i	3 C X 70 Sqmm 11 KV	KM	0.000	0	0	0.397	0.000	0.000	0.397
ii	3 C X 185 Sqmm 11 KV	KM	27.437	0	0	0.000	0.000	0.000	27.437
iii	3 C X 300 Sqmm 11 KV	KM	2.377	0	0	2.492	0.000	0.000	4.869
iv	3 C X 185 Sqmm 33 KV	KM	0.000	0	0	2.026	0.000	0.248	2.274
v	3 C X 300 Sqmm 33 KV	KM	0.000	0	0	0.241	0.000	0.000	0.241
17	Cable - LT AB Cable								
	1X25+1X25+1X25	KM	45.000	45 - U/T	0	30.495-U/T	0	0	120.495
	3X25+1X35+1X16	KM	0	0	0	102.103	0	0	102.103
	3X16+1X16+1X25	KM	7.200	0	0	16.070	0	0	23.270
	3X35+1X35+1X16	KM	0	0	0	88.160	0	0	88.160
i	3X25+1X35 Sqmm	KM	146.860	60 - U/T	0.000	92.306	45.980	14.924	360.070

M.P.P.K.V.V.CO.LTD., INDORE

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.8.2017

No.	NAME OF MATERIALS	UNI	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL
ii	3X25+1X16+1X25 Sqmm	KM	54.861	9.541	0	0.000	91.739	10.033	166.174
iii	3X35+1X16+1X25 Sqmm	KM	0.000	87.624	0	0.000	0.000	15.028	102.652
iv	3X50+1X16+1X35 Sqmm	KM	85.572	32.524	0	10.018	97.341	0.000	225.455
v	3X70+1X16+1X50 Sqmm	KM	6.000	15 - U/T	0	0.499	0.000	0.000	21.499
vi	3X95+1X16+1X70 Sqmm	KM	6.507	13 - U/T	0	0.000	0.000	7.991	27.498
18	STEEL SECTIONS								
i	Rail Pole	MT	0.00	0	0	0.00	0.00	0.00	0.000
ii	H-Beam 152 x 152 mm	MT	166.576	145.035	162.890	173.234	15.470	161.095	824.300
iii	RS Joist 175 x 85 mm	MT	252.505	93.241	66.050	90.680	127.205	0.000	629.681
iv	MS Angle 75 x 75 x 6 mm	MT	19.980	0	0	0.000	0.000	3.000	22.980
v	MS Angle 65 x 65 x 6 mm	MT	433.995	100.885	74.290	104.438	28.785	69.175	811.568
vi	MS Angle 50 x 50 x 6 mm	MT	68.490	18.320	1.990	31.755	12.194	31.900	164.649
vii	MS Channel 100 x 50 x 5 mm	MT	300.250	0.000	0.000	0.000	17.283	128.660	446.193
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	5.855	0	0.000	0.000	39.070	44.925
ix	MS Channel 65 x 65 x 6 mm	MT	0.00	0	0	0.00	0.00	49.48	49.480
x	MS Flat 75 x 6 mm	MT	1.550	0	0	0.000	0.000	0.000	1.550
xi	MS Flat 65 x 8 mm	MT	98.765	20.000	11.070	47.527	0.000	10.960	188.322
xii	MS Flat 50 x 6 mm	MT	43.755	2.635	8.690	0.000	9.920	22.480	87.480
19	GI WIRES								
i	6 SWG	MT	65.780	0	1.930	74.625	0.000	0.000	142.335
ii	8 SWG	MT	37.526	25.985	36.690	20.755 + 33(U/T)	15.810	20.780 + 16.305 -U/T	206.851
iii	10 SWG	MT	6.043	0	0	4.367	0.000	0.000	10.410
20	STAY WIRES								
i	7/8 SWG	MT	0.000	0	0	0.000	0.000	0.000	0.000
ii	7/10 SWG	MT	62.318	35.856	26.480 + 21.460 -U/T	72.343	30.430	93.424	342.311
21	HARDWARES								
i	LT SHACKLE H/W 90X75	Nos.	39969	0	0	0	0	0	39969
ii	11 KV H/W	Nos.	240	0	0	0	0	0	240
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0
iv	33 KV H/W (Panther)	Nos.	43	0	0	0	0	0	43
22	INSULATORS								
i	SHACKLE 90 X 75	Nos.	42700	0	0	0	0	0	42700
ii	SHACKLE 65 X 50	Nos.	45453	0	0	588	0	0	46041
iii	STAY INSULATOR 90X65	Nos.	3216	0	0	0	0	0	3216
vii	11 KV Polymer Pin Insulator	Nos.	200 + 2500(U/T)	4172 - U/T	5000 - U/T	3239	0	7500 - U/T	22611
viii	33 KV Polymer Pin Insulator	Nos.	742(U/T)	0	0	0	290	0	1032
ix	11 KV Polymer Disc Insulator 45 KN	Nos.	2509(U/T)	45	0	0	0	1500 - U/T	4054
x	33 KV Polymer Disc Insulator	Nos.	0	1068 - U/T	0	0	140	0	1208
23	DO SETS								
i	11 KV	Nos.	2186 + 3785(U/T)	880 + 2500(U/T)	1855 + 1019(U/T)	0	2751 - U/T	4098 - U/T	19074
ii	33 KV	Nos.	178 + 100(U/T)	47	50	0	0	50	425
24	AB SWITCHCES								
i	33 KV	Nos.	0	0	0	0	0	0	0
ii	11 KV 1 PHASE	Nos.	13	0	0	0	0	0	13
iii	11 KV 3 PHASE	Nos.	0	0	0	0	23	40	63
25	DIST. BOXES								
i	25 KVA	Nos.	0	0	0	0	0	0	0
ii	63 KVA	Nos.	0	0	0	3	0	0	3
iii	100 KVA	Nos.	47	58	110	168	106	205	694
iv	200 KVA	Nos.	20 + 228(U/T)	0	0	73	1	0	322
v	315 KVA	Nos.	0	0	0	2	0	0	2
26	CAPACITORS								
i	121 KVAR	Nos.	15	0	0	0	0	0	15
ii	242 KVAR	Nos.	0	0	0	0	0	0	0
27	PC CUT OUT								
i	63 AMP.	Nos.	0	0	0	0	0	0	0
ii	100 AMP.	Nos.	0	0	0	801	0	0	801
iii	200 AMP.	Nos.	0	8993	0	517	7700	0	17210
iv	300 AMP.	Nos.	0	0	0	0	0	0	0
28	METER NEW ELECTRONIC								
i	1 PHASE 5-30 Amp.	Nos.	27162	6449	243	1456	1617	6356	43283
ii	3 PHASE 10-40 Amp.	Nos.	5836	2185	1067	5875	78	762	15803
iii	3 PHASE 20-100 Amp.	Nos.	0	0	0	0	0	0	0
iv	Whole Current 40-200 Amp.	Nos.	2	0	0	0	0	0	2

M.P.P.K.V.V.CO.LTD., INDORE

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.8.2017

No.	NAME OF MATERIALS	UNI	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL
v	LT C.T. Meter 100/5 Amp.	Nos.	12	0	0	0	0	0	12
vi	HT Meter - 110 V	Nos.	62	0	0	0	0	0	62
vii	HT Meter - 110 V S/S.	Nos.	454	0	0	0	0	0	454
29	MAIN SWITCHCES								
i	32 AMP.	Nos.	0	0	7	505	0	2653	3165
ii	63 AMP.	Nos.	43	0	8	1349	680	705	2785
iii	100 AMP.	Nos.	1543	0	0	2357	0	0	3900
iv	200 AMP.	Nos.	494 + 188(U/T)	0	0	822	0	0	1504
v	320 AMP.	Nos.	0	0	0	0	0	0	0
vi	400 AMP.	Nos.	0	0	0	0	0	0	0
30	G.I. PINS								
i	11 KV	Nos.	0	0	2058	0	0	0	2058
ii	33 KV	Nos.	377	0	0	0	0	0	377
31	G.I.CONDUIT PIPE								
i	20 MM	Mtr.	0	0	0	0	0	0	0
ii	40 MM	Mtr.	18728	11413	6305	16236	13200	10743	76625
33	ISOLATORS								
i	11 KV	Nos.	98	139	218	134	9	186	784
ii	33 KV	Nos.	14	0	0	0	0	0	14
34	PCC POLES								
i	140 KG	Nos.	460	0	0	1353	138	0	1951
ii	280 KG	Nos.	0	1253	0	110	61	0	1424
iii	350 KG	Nos.	0	16	0	0	0	0	16
35	BATTERY & CHARGER								
i	BATTERY	Nos.	29	0	0	1	0	0	30
ii	BATTERY CHARGER	Nos.	0	0	0	1	0	0	1
36	OIL X-MER								
i	Fresh Oil	KL	12.658	11.181	22.445	0.000	18.000	18.020	82.304
ii	Reclaimed Oil	KL	0.000	0	0	0.000	0.000	0.000	0.000
iii	Burnt Oil	KL	20.000	120.000	65.000	30.000	30.000	25.093	290.093
37	Male Female Contact suitable for								
i	11 KV A.B.Switch	No.	775	0	0	2088	0	0	2863
ii	33 KV A.B.Switch	No.	70	0	0	50	0	0	120
38	ALU. LUGS								
i	16 Sq.mm	No.	0	0	0	0	0	0	0
ii	25 Sq.mm	No.	0	0	0	0	0	0	0
iii	35 Sq.mm	No.	0	0	0	0	0	0	0
iv	70 Sq.mm	No.	820	0	0	0	0	0	820
v	150 Sq.mm	No.	0	0	0	0	0	0	0
vi	300 Sq.mm	No.	0	0	0	0	0	0	0
39 (a)	DPC Aluminium Round Wire								
i	0.79 mm	Kg.	2053.45	0	0	0.00	0.00	0.00	2053.45
i	0.81 mm	Kg.	2006.14	0	0	0.00	0.00	0.00	2006.14
ii	1.03 mm	Kg.	3279.70	0	0	0.00	0.00	0.00	3279.70
iii	1.25 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
iv	1.33 mm	Kg.	11105.900	0	0	0.000	0.00	0.000	11105.90
v	1.60 mm	Kg.	0.000	0	0	0.000	0.00	0.000	0.00
vi	1.70 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
vii	2.00 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
viii	2.20 mm	Kg.	0.00	0	0	0.00	0.00	0.00	0.00
39 (b)	DPC Aluminium Rectangular Wire								
i	11 X 4 mm	Kg.	1419.55	0	0	0.00	0.00	0.00	1419.55
ii	11 X 5.5 mm	Kg.	3373.14	0	0	0.00	0.00	0.00	3373.14
iii	7.2 X 5.5 mm	Kg.	0.0	0	0	0.0	0.00	0.0	0.00
iv	7.25 X 3.13 mm	Kg.	0.0	0	0	0.0	0.00	0.0	0.00
v	10.6 x 4.6 mm	Kg.	0.000	0	0	0.000	0.00	0.000	0.00
40 (a)	DPC Copper Round Wire								
i	1.95 mm dia	Kg.	0.000	0	0	0.000	0.000	0.000	0.00
40 (b)	DPC Copper Rectangular Wire								
i	8.4 X 3.7 mm	Kg.	780.75	0	0	0.0	0.0	0.0	780.75
41	HV / LV Brass Stud for Dist.X-mer								
i	LV 20 MM	No.	0	0	0	3625	0	0	3625
ii	HV	No.	0	0	0	1800	0	0	1800
42	TPC Copper Strips	Kg.	0.0	0	0	0.0	0.0	0.0	0
43	Press Board								
i	1 MM	Kg.	700	0	0	0	0	0	700
ii	2 MM	Kg.	0	0	0	495	0	0	495
iii	3 MM	Kg.	0.00	0	0	0.00	0.00	0.00	0
44	Kraft Paper	Kg.	0	0	0	0	0	0	0

M.P.P.K.V.V.CO.LTD., INDORE

STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.8.2017

No.	NAME OF MATERIALS	UNI	INDORE	BARWAHA	DHAR	UJJAIN	RATLAM	MANDSAUR	TOTAL
45	Gasket Sheet							0	
i	5 MM	No.	0	0	0	0	0	0	0
ii	6 MM	Kg.	0	0	0	0	0	0	0
iii	9 MM	Kg.	0	0	0	0	0	0	0
46	HRC Fuse Base & Link -								
i	Base - 250 Amp.	No.	0	0	0	800	0	0	800
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	0
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	0
iv	Link - 250 Amp./200 Amp	No.	1733	0	0	1485	0	0	3218
v	Link - 300 Amp.	No.	0	0	0	0	0	0	0
vi	Link - 400 Amp.	No.	0	0	0	0	0	0	0
47	LT Pole Fuse Unit & Robust Fuse Unit	No.	125	100+1500- U/T	513 + 1400- U/T	1909	2107 - U/T	1038 + 1400 - U/T	10092
48	Pole Mounted Service connection Box								
i	Single Phase	No.	1526(U/T)	0	0	0	0	0	1526
ii	Three Phase	No.	371	0	600	0	40	100	1111
49	MCB								
i	Single Pole 16 Amp.	No.	12983	0	0	898	0	0	13881
ii	Three Pole 32 Amp.	No.	5238	0	0	301	0	600	6139
50	Poly Carbonate Meter Box								
i	Single Phase	No.	0	0	0	0	0	0	0
ii	Three Phase	No.	1445	903	0	0	0	0	2348
51	Barbed Wire	Kg.	0	0	4225	2931	0	0	7156
52	Safety Appliances								
i	Cutting Plier	No.	0	0	0	1856	0	0	1856
ii	Lineman Tool Bag	No.	0	0	0	0	0	0	0
iii	Safety Jhoola Belt	No.	0	0	0	334	0	0	334
iv	Screw Driver	No.	0	0	0	127	0	0	127
53	Hand Gloves	No.	0	0	0	615	0	0	615
54	Rubber Ankle Shoes	No.	0	0	0	0	0	0	0
55	Liveries Terrycot & Woolen-								
i	Khaki Terrycot	Mtr.	2622.63	0	0	1768.00	0.00	162.00	4552.630
ii	White Terrycot	Mtr.	283.86	0	0	464.00	0.00	40.00	787.860
iii	Blue Woolen	Mtr.	20.25	0.00	0	53.00	0.00	10.00	83.250
iv	Khaki Woolen	Mtr.	9.75	0	0	117.00	0.00	0.00	126.750
v	Khaki Cellular	Mtr.	0.00	0	0	2291.00	0.00	285.00	2576.000
56	Scrap Conductor	Kg.	8155	52845	1200	248189	0	24896	335285
57	Earthing Coil	No.	0	0	0	56	0	0	56
58	Search Light 200/250 W	No.	0	0	0	0	0	0	0
59	MS Nut & Bolt								
i	M.S.Nut Bolt 16 X 200	Kg.	5080	0	0	1410	0	0	6490
ii	M.S.Nut Bolt 16 X 160	Kg.	800	0	0	690	0	0	1490
iii	M.S.Nut Bolt 16 X 140	Kg.	0	0	0	755	0	0	755
iv	M.S.Nut Bolt 16 X 90	Kg.	0	0	0	1090	0	0	1090
v	M.S.Nut Bolt 16 X 65	Kg.	950	0	0	1040	0	0	1990
vi	M.S.Nut Bolt 12 X 65	Kg.	0	0	0	0	0	0	0
vii	M.S.Nut Bolt 12 X 140	Kg.	150	0	0	0	0	0	150
viii	M.S.Nut Bolt 12 X 300	Kg.	0	0	0	0	0	0	0
ix	M.S.Nut Bolt 12 X 100	Kg.	1270	0	0	0	0	0	1270
x	M.S.Nut Bolt 16 X 250	Kg.	0	0	0	0	0	0	0
60	Clamp & Connector								
i	Suspension Clamp Ass.for LT Cable 25-50	Nos.	0	0	0	0	0	0	0
ii	Clamp. For Neutral Connection 1.5-10 MM.	Nos.	0	0	0	0	0	0	0
iii	Dead End Clamp Ass. For 25-50 Sq.mm.	Nos.	3038(U/T)	0	0	104	0	0	3142
iv	Insulation Piercing Connector 1.5-10 MM-I	Nos.	0	0	0	0	0	0	0
v	Insulation Piercing Connector 1.5-10 MM-II	Nos.	0	0	0	0	0	0	0
vi	T-Clamp for Dog	Nos.	0	3064	0	29	0	0	3093
61	11 KV RVT								
i	(RVT) OUTDOOR TYPE	Nos.	59	0	0	0	0	0	59
62	11 KV CAPACITOR SWITCH								
i	11 KV Outdoor Automatic Capacitor switch	Nos.	40	0	0	0	0	0	40
63	LT CT Meter Box								
i	LT CT Meter Box	Nos.	415	0	0	0	0	0	415
64	HT Meter Box								
i	HT Meter Box	Nos.	16	0	0	0	0	0	16
65	BI-METALLIC CLAMPS								
i	LV	No.	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0