



**M.P.P.K.V.V.CO.LTD., INDORE**  
**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.4.2018**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
<b>7</b>	<b>CONDUCTOR</b>															
i	AAAC-02 SQUIRREL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
ii	AAAC-03 WEASEL	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
iii	AAAC-05 RABBIT	KM	78.169	725.976	0.000	635.780	845.897	0.000	0.000	600.000	597.980	0.000	671.832	546.000	<b>2193.878</b>	<b>2507.756</b>
iv	AAAC-075 RACCON	KM	72.576	0.000	28.800	0.000	3.600	0.000	123.406	0.000	52.800	0.000	46.800	0.000	<b>327.982</b>	<b>0.000</b>
v	AAAC-DOG	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	14.400	0.000	0.000	0.000	<b>14.400</b>	<b>0.000</b>
vi	AAAC Panther conductor 0.20 sq. inch	KM	7.258	0.000	0.000	0.000	0.000	0.000	4.004	0.000	0.000	0.000	0.000	0.000	<b>11.262</b>	<b>0.000</b>
<b>8</b>	<b>LIGHTING ARRESTERS</b>															
i	11 KV(Polymer) 5 KA -Line type	Nos.	0	0	200	0	0	230	0	772	112	0	0	0	<b>312</b>	<b>1002</b>
ii	11 KV 5 KA - Line type	Nos.	230	0	0	0	0	0	0	0	0	0	230	0	<b>460</b>	<b>0</b>
iii	33 KV 10 KA - Line type	Nos.	410	0	476	0	250	0	410	0	310	0	310	0	<b>2166</b>	<b>0</b>
iv	11 KV 10 KA - Station type	Nos.	0	0	0	0	0	360	0	0	0	0	0	0	<b>360</b>	<b>0</b>
<b>9</b>	<b>VCB</b>															
i	11 KV	Nos.	0	11	0	10	0	0	0	10	0	0	0	10	<b>0</b>	<b>41</b>
ii	33 KV 30V	Nos.	46	0	14	0	25	0	3	0	22	0	37	0	<b>147</b>	<b>0</b>
<b>10</b>	<b>STAY SET</b>															
i	16 MM/Painted	Nos.	3103	2550	120	0	3734	2560	1427	2570	1097	0	0	2500	<b>9481</b>	<b>10180</b>
ii	20 MM	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>11</b>	<b>C.T.s</b>															
i	11 KV CT 200-100/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	11 KV CT 300-150/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	11 KV CT 400-200/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iv	11 KV CT 600-300/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
v	11 KV CT 600-300/5-5-1 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
vi	33 KV CT 200-100/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
vii	33 KV CT 300-150/5-5 A	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
viii	33 KV CT 200-100/5-5-1 A	Nos.	2	0	0	0	0	0	0	0	0	0	0	0	<b>2</b>	<b>0</b>
ix	132 KV CT 50/1	Nos.	1	0	0	0	0	0	0	0	0	0	0	0	<b>1</b>	<b>0</b>
x	132 KV CT 100/1	Nos.	15	0	0	0	0	3	0	2	0	0	0	0	<b>20</b>	<b>0</b>
xi	132 KV CT 200/1	Nos.	7	0	0	0	0	0	0	5	0	0	0	0	<b>12</b>	<b>0</b>
<b>12</b>	<b>P.T.s</b>															
i	11 KV PT	Nos.	0	0	0	0	0	3	0	0	0	0	0	0	<b>3</b>	<b>0</b>
ii	33 KV PT	Nos.	38	0	0	0	0	31	0	0	0	0	0	0	<b>69</b>	<b>0</b>
iii	132 KV PT	Nos.	16	0	0	0	0	0	0	6	0	0	0	0	<b>22</b>	<b>0</b>
<b>13</b>	<b>LT / CT</b>															
i	100/5 AMP	Nos.	54	0	0	0	0	0	0	0	0	0	0	0	<b>54</b>	<b>0</b>
ii	200/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	300/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iv	400/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
v	500/5 AMP	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>14</b>	<b>Cable - Unarmoured PVC / XLPE Cable</b>															
i	1 C X 16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
ii	1 C X 25 Sqmm	KM	120.010	0.000	0.000	0.000	0.000	0.000	170.679	0.000	22.745	0.000	38.780	0.000	<b>352.214</b>	<b>0.000</b>
iii	1 C X 50 Sqmm	KM	22.804	0.000	12.998	0.000	0.000	0.000	259.890	0.000	21.735	0.000	21.202	0.000	<b>338.629</b>	<b>0.000</b>
iv	1 C X 70 Sqmm	KM	141.937	0.000	30.509	0.000	36.527	0.000	78.058	0.000	56.350	0.000	58.610	0.000	<b>401.991</b>	<b>0.000</b>
v	1 C X 150 Sqmm	KM	74.591	0.000	8.019	0.000	26.195	0.000	165.050	0.000	38.077	0.000	42.370	0.000	<b>354.302</b>	<b>0.000</b>
vi	1 C X 300 Sqmm	KM	0.000	0.000	1.000	0.000	0.000	0.000	0.000	0.000	5.466	0.000	7.230	0.000	<b>13.696</b>	<b>0.000</b>
vii	4 C X 16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
viii	4 C X 25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	1.078	0.000	0.000	0.000	0.000	0.000	<b>1.078</b>	<b>0.000</b>
<b>15</b>	<b>Cable - Multicore Armoured PVC Cable</b>															
i	2 C X 2.5 Sqmm	KM	97.411	190.983	0.000	0.000	0.000	0.000	4.164	0.000	0.000	0.000	0.000	0.000	<b>101.575</b>	<b>190.983</b>
ii	4 C X 2.5 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.4.2018**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
iii	2 C X 4 Sqmm	KM	245.843	0.000	0.000	0.000	0.000	0.000	67.229	0.000	0.000	0.000	0.000	0.000	313.072	0.000
iv	4 C X 4 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
v	4 C X 6 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vi	4 C X 8 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
vii	4 C X 10 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
<b>16</b>	<b>Cable - HT XLPE Cable</b>															
i	3 C X 70 Sqmm 11 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
ii	3 C X 185 Sqmm 11 KV	KM	27.437	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	27.437	0.000
iii	3 C X 300 Sqmm 11 KV	KM	2.377	0.000	0.000	0.000	0.000	0.000	2.492	0.000	0.000	0.000	0.000	0.000	4.869	0.000
iv	3 C X 185 Sqmm 33 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	1.772	0.000	0.000	0.000	0.000	0.000	1.772	0.000
v	3 C X 300 Sqmm 33 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.241	0.000	0.000	0.000	0.000	0.000	0.241	0.000
<b>17</b>	<b>Cable - LT AB Cable</b>															
i	1X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	50.361	69.625	0.000	0.000	0.000	0.000	50.361	69.625
ii	3X16+1X16+1X25 Sqmm	KM	6.700	0.000	0.000	0.000	0.000	0.000	16.070	0.000	0.000	0.000	10.033	0.000	32.803	0.000
iii	3X25+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
iv	3X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
v	3X25+1X35 Sqmm	KM	13.747	0.000	4.610	0.000	0.000	0.000	0.000	0.000	8.922	0.000	9.938	0.000	37.217	0.000
vi	3X25+1X35+1X16 Sqmm	KM	0.000	22.875	0.000	0.000	0.000	0.000	69.105	0.000	38.019	0.000	0.000	0.000	107.124	22.875
vii	3X35+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
viii	3X35+1X35+1X16 Sqmm	KM	162.530	48.000	12.423	0.000	0.000	0.000	72.127	0.000	0.000	0.000	0.000	0.000	247.080	48.000
ix	3X50+1X16+1X35 Sqmm	KM	75.148	19.922	13.560	0.000	0.000	0.000	0.000	0.000	94.480	0.000	0.000	0.000	183.188	19.922
x	3X70+1X16+1X50 Sqmm	KM	0.000	0.000	3.990	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	3.990	0.000
xi	3X95+1X16+1X70 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	2.499	0.000	2.499	0.000
<b>18</b>	<b>STEEL SECTIONS</b>															
i	Rail Pole	MT	7.550	0.000	4.150	0.000	3.280	0.000	4.13	0.000	0.000	0.000	4.110	0.000	23.220	0.000
ii	H-Beam 152 x 152 mm	MT	0.000	0.000	0.000	0.000	53.850	0.000	157.121	0.000	80.423	0.000	156.285	0.000	447.679	0.000
iii	RS Joist 175 x 85 mm	MT	106.083	0.000	42.896	0.000	58.700	0.000	20.805	0.000	119.570	0.000	15.375	0.000	363.429	0.000
iv	MS Angle 75 x 75 x 6 mm	MT	0.380	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.380	0.000
v	MS Angle 65 x 65 x 6 mm	MT	197.887	0.000	68.995	0.000	164.360	0.000	28.304	0.000	175.832	0.000	94.890	0.000	730.268	0.000
vi	MS Angle 50 x 50 x 6 mm	MT	58.124	0.000	0.000	0.000	0.000	0.000	22.000	0.000	9.708	0.000	0.655	0.000	90.487	0.000
vii	MS Channel 100 x 50 x 5 mm	MT	204.360	0.000	68.141	0.000	223.420	0.000	185.564	0.000	226.830	0.000	164.145	0.000	1072.460	0.000
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	0.000	0.000	0.000	5.000	0.000	5.560	0.000	0.000	0.000	0.000	0.000	10.560	0.000
ix	MS Channel 65 x 65 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
x	MS Flat 75 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
xi	MS Flat 65 x 8 mm	MT	110.845	0.000	21.920	0.000	13.620	0.000	51.927	0.000	14.200	0.000	17.260	0.000	229.772	0.000
xii	MS Flat 50 x 6 mm	MT	35.890	0.000	10.470	0.000	37.360	0.000	23.030	0.000	26.220	0.000	25.000	0.000	157.970	0.000
<b>19</b>	<b>GI WIRES</b>															
i	6 SWG	MT	64.030	0.000	0.000	0.000	1.930	0.000	74.525	0.000	0.505	0.000	0.000	0.000	140.990	0.000
ii	8 SWG	MT	9.891	0.000	3.122	0.000	28.310	0.000	40.000	0.000	12.133	0.000	37.085	0.000	130.541	0.000
iii	10 SWG	MT	4.959	0.000	0.000	0.000	0.000	2.632	0.000	0.000	0.000	0.000	0.000	7.591	0.000	0.000
<b>20</b>	<b>STAY WIRES</b>															
i	7/8 SWG	MT	0.000	8.026	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	8.026
ii	7/10 SWG	MT	0.000	0.000	0.000	0.000	2.980	0.000	23.658	7.000	33.297	0.000	45.569	0.000	105.504	7.000
<b>21</b>	<b>HARDWARES</b>															
i	LT SHACKLE H/W 90X75	Nos.	28834	0	0	0	0	0	0	0	0	0	0	0	28834	0
ii	11 KV H/W	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
iv	33 KV H/W (Panther)	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>22</b>	<b>INSULATORS</b>															
i	SHACKLE 90 X 75	Nos.	24948	0	0	0	0	0	0	0	0	0	0	0	24948	0
ii	SHACKLE 65 X 50	Nos.	40863	0	0	0	0	0	0	0	0	0	0	0	40863	0
iii	STAY INSULATOR 90X65	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
vii	11 KV Polymer Pin Insulator	Nos.	4583	4543	0	2600	0	0	0	4017	500	0	0	1600	5083	12760

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.4.2018**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
viii	33 KV Polymer Pin Insulator	Nos.	0	1307	0	1100	960	0	0	1200	10	0	0	1100	<b>970</b>	<b>4707</b>
ix	11 KV Polymer Disc Insulator 45 KN	Nos.	0	10431	0	1450	677	0	0	5100	1041	0	0	1450	<b>1718</b>	<b>18431</b>
x	33 KV Polymer Disc Insulator	Nos.	0	0	158	0	0	0	0	0	0	0	0	0	<b>158</b>	<b>0</b>
<b>23</b>	<b>DO SETS</b>															
i	11 KV	Nos.	0	602	192	0	805	0	2096	0	2152	0	1398	0	<b>6643</b>	<b>602</b>
ii	33 KV	Nos.	258	100	145	100	44	100	200	0	150	0	150	0	<b>947</b>	<b>300</b>
<b>24</b>	<b>AB SWITHCES</b>															
i	33 KV	Nos.	45	0	0	0	0	0	70	0	0	0	0	0	<b>115</b>	<b>0</b>
ii	11 KV 1 PHASE	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	11 KV 3 PHASE	Nos.	104	0	105	0	125	0	181	0	6	0	0	91	<b>521</b>	<b>91</b>
<b>25</b>	<b>DIST. BOXES</b>															
i	25 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	63 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	100 KVA	Nos.	4	0	1	0	51	0	123	0	56	0	205	0	<b>440</b>	<b>0</b>
iv	200 KVA	Nos.	71	0	0	0	0	0	54	0	0	0	0	0	<b>125</b>	<b>0</b>
v	315 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>26</b>	<b>CAPACITORS</b>															
i	121 KVAR	Nos.	155	0	0	0	0	0	0	0	0	0	0	0	<b>155</b>	<b>0</b>
ii	242 KVAR	Nos.	42	0	0	0	0	0	22	0	0	0	0	0	<b>64</b>	<b>0</b>
<b>27</b>	<b>PC CUT OUT</b>															
i	63 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	100 AMP.	Nos.	0	0	0	0	0	0	691	0	0	0	0	0	<b>691</b>	<b>0</b>
iii	200 AMP.	Nos.	0	0	5093	0	0	0	0	0	6800	0	0	0	<b>11893</b>	<b>0</b>
iv	300 AMP.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>28</b>	<b>METER NEW ELECTRONIC</b>															
i	1 PHASE 5-30 Amp.	Nos.	2387	5000	0	7500	2489	0	4480	12500	1342	5000	1243	5000	<b>11941</b>	<b>35000</b>
ii	3 PHASE 10-40 Amp.	Nos.	10371	0	652	2162	726	0	7856	0	7293	0	617	0	<b>27515</b>	<b>2162</b>
iii	3 PHASE 20-100 Amp.	Nos.	16	0	0	0	0	0	0	0	0	0	0	0	<b>16</b>	<b>0</b>
iv	Whole Current 40-200 Amp.	Nos.	248	350	0	0	0	0	0	0	0	0	0	0	<b>248</b>	<b>350</b>
v	LT C.T. Meter 100/5 Amp.	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
vi	HT Meter - 110 V	Nos.	220	669	0	0	0	0	0	0	0	0	0	0	<b>220</b>	<b>669</b>
vii	HT Meter - 110 V S/S.	Nos.	248	0	0	0	0	0	0	0	0	0	0	0	<b>248</b>	<b>0</b>
<b>29</b>	<b>MAIN SWITHCES</b>															
i	32 AMP.	Nos.	0	0	0	0	7	0	493	0	0	0	2653	0	<b>3153</b>	<b>0</b>
ii	63 AMP.	Nos.	0	0	0	0	8	0	39	0	0	0	0	0	<b>47</b>	<b>0</b>
iii	100 AMP.	Nos.	1446	0	0	0	0	0	2332	0	0	0	0	0	<b>3778</b>	<b>0</b>
iv	200 AMP.	Nos.	652	0	0	0	0	0	888	0	0	0	0	0	<b>1540</b>	<b>0</b>
v	320 AMP.	Nos.	0	0	0	0	0	0	129	0	0	0	0	0	<b>129</b>	<b>0</b>
vi	400 AMP.	Nos.	0	0	0	0	0	0	79	0	0	0	0	0	<b>79</b>	<b>0</b>
<b>30</b>	<b>G.I. PINS</b>															
i	11 KV	Nos.	0	0	0	0	2058	0	0	0	0	0	0	0	<b>2058</b>	<b>0</b>
ii	33 KV	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>31</b>	<b>G.I.CONDUIT PIPE</b>															
i	20 MM	Mtr.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	40 MM	Mtr.	15915	0	71	0	4082	0	11567	0	11	0	6741	0	<b>38387</b>	<b>0</b>
<b>33</b>	<b>ISOLATORS</b>															
i	11 KV	Nos.	75	0	119	0	209	0	103	0	0	0	0	0	<b>506</b>	<b>0</b>
ii	33 KV	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>34</b>	<b>PCC POLES</b>															
i	140 KG	Nos.	0	0	0	0	0	0	0	0	362	0	0	0	<b>362</b>	<b>0</b>
ii	280 KG	Nos.	0	0	375	0	0	0	110	0	61	0	0	0	<b>546</b>	<b>0</b>
iii	350 KG	Nos.	0	0	16	0	0	0	0	0	0	0	0	0	<b>16</b>	<b>0</b>
<b>35</b>	<b>BATTERY &amp; CHARGER</b>															
i	BATTERY	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>

**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.4.2018**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
ii	BATTERY CHARGER	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>36</b>	<b>OIL X-MER</b>															
i	Fresh Oil	KL	27.600	0.000	23.533	0.000	13.500	0.000	7.570	0.000	48.343	0.000	17.819	0.000	<b>138.365</b>	<b>0.000</b>
ii	Reclaimed Oil	KL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
iii	Burnt Oil	KL	0.000	0.000	30.000	0.000	20.000	0.000	16.379	0.000	4.610	0.000	51.000	0.000	<b>121.989</b>	<b>0.000</b>
<b>37</b>	<b>Male Female Contact suitable for</b>															
i	11 KV A.B.Switch	No.	95	0	0	0	0	0	605	0	0	0	0	0	<b>700</b>	<b>0</b>
ii	33 KV A.B.Switch	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>38</b>	<b>ALU. LUGS</b>															
i	16 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	25 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	35 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iv	70 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
v	150 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
vi	300 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>39 (a)</b>	<b>DPC Aluminium Round Wire</b>															
i	0.79 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>0.00</b>	<b>0.00</b>
i	0.81 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>0.00</b>	<b>0.00</b>
ii	1.03 mm	Kg.	1406.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>1406.70</b>	<b>0.00</b>
iii	1.25 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>0.00</b>	<b>0.00</b>
iv	1.33 mm	Kg.	976.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.000	0	<b>976.9</b>	<b>0.00</b>
v	1.60 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.000	0	<b>0.00</b>	<b>0.00</b>
vi	1.70 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>0.00</b>	<b>0.00</b>
vii	2.00 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>0.00</b>	<b>0.00</b>
viii	2.20 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>0.00</b>	<b>0.00</b>
<b>39 (b)</b>	<b>DPC Aluminium Rectangular Wire</b>															
i	11 X 4 mm	Kg.	1325.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>1325.25</b>	<b>0.00</b>
ii	11 X 5.5 mm	Kg.	3250.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>3250.49</b>	<b>0.00</b>
iii	7.2 X 5.5 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0	<b>0.00</b>	<b>0.00</b>
iv	7.25 X 3.13 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0	<b>0.00</b>	<b>0.00</b>
v	10.6 x 4.6 mm	Kg.	678.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.000	0	<b>678.30</b>	<b>0.00</b>
<b>40 (a)</b>	<b>DPC Copper Round Wire</b>															
i	1.95 mm dia	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.000	0	<b>0.00</b>	<b>0.00</b>
<b>40 (b)</b>	<b>DPC Copper Rectangular Wire</b>															
i	8.4 X 3.7 mm	Kg.	780.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>780.75</b>	<b>0.00</b>
<b>41</b>	<b>HV / LV Brass Stud for Dist.X-mer</b>															
i	LV 20 MM	No.	0	0	0	0	0	0	5405	0	0	0	0	0	<b>5405</b>	<b>0</b>
ii	HV	No.	0	0	0	0	0	0	1400	0	0	0	0	0	<b>1400</b>	<b>0</b>
<b>42</b>	<b>TPC Copper Strips</b>	Kg.	0	0	0	0	0	0	0.0	0	0	0	0.0	0	<b>0</b>	<b>0</b>
<b>43</b>	<b>Press Board</b>															
i	1 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	2 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	3 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>44</b>	<b>Kraft Paper</b>	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>45</b>	<b>Gasket Sheet</b>															
i	5 MM	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	6 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	9 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>46</b>	<b>HRC Fuse Base &amp; Link -</b>		<b>0</b>													
i	Base - 250 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iv	Link - 250 Amp./200 Amp	No.	613	0	0	0	0	0	0	0	0	0	0	0	<b>613</b>	<b>0</b>



**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 15.4.2018**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL		
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	
<b>64</b>	<b>HT Meter Box</b>																
i	HT Meter Box	Nos.	77	222	0	0	0	0	0	0	0	0	0	0	0	77	222
<b>65</b>	<b>BI-METALLIC CLAMPS</b>																
i	LV	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ii	HV	No.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>66</b>	<b>BPL Service Connection Kit</b>	Nos.	4600	0	32518	0	1740	15927	0	6927	0	0	0	0	38858	22854	