





**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.3.2018**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL		
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	
iii	2 C X 4 Sqmm	KM	245.843	0.000	0.000	0.000	0.000	0.000	67.679	0.000	0.000	0.000	0.000	0.000	0.000	<b>313.522</b>	<b>0.000</b>
iv	4 C X 4 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
v	4 C X 6 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
vi	4 C X 8 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
vii	4 C X 10 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
<b>16</b>	<b>Cable - HT XLPE Cable</b>																
i	3 C X 70 Sqmm 11 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
ii	3 C X 185 Sqmm 11 KV	KM	27.437	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>27.437</b>	<b>0.000</b>
iii	3 C X 300 Sqmm 11 KV	KM	2.377	0.000	0.000	0.000	0.000	0.000	2.492	0.000	0.000	0.000	0.000	0.000	0.000	<b>4.869</b>	<b>0.000</b>
iv	3 C X 185 Sqmm 33 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	1.772	0.000	0.000	0.000	0.000	0.000	0.000	<b>1.772</b>	<b>0.000</b>
v	3 C X 300 Sqmm 33 KV	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.241	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.241</b>	<b>0.000</b>
<b>17</b>	<b>Cable - LT AB Cable</b>																
i	1X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	70.226	69.625	0.000	0.000	0.000	0.000	0.000	<b>70.226</b>	<b>69.625</b>
ii	3X16+1X16+1X25 Sqmm	KM	6.700	0.000	0.000	0.000	0.000	0.000	16.070	0.000	0.000	0.000	10.033	0.000	0.000	<b>32.803</b>	<b>0.000</b>
iii	3X25+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
iv	3X25+1X25+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
v	3X25+1X35 Sqmm	KM	13.747	0.000	24.619	0.000	0.000	0.000	0.000	0.000	8.922	0.000	9.938	0.000	0.000	<b>57.226</b>	<b>0.000</b>
vi	3X25+1X35+1X16 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	79.020	0.000	38.019	0.000	0.000	0.000	0.000	<b>117.039</b>	<b>0.000</b>
vii	3X35+1X16+1X25 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
viii	3X35+1X35+1X16 Sqmm	KM	165.500	0.000	12.423	0.000	0.000	0.000	77.129	0.000	0.000	0.000	0.000	0.000	0.000	<b>255.052</b>	<b>0.000</b>
ix	3X50+1X16+1X35 Sqmm	KM	81.189	0.000	13.560	0.000	0.000	0.000	0.000	0.000	94.480	0.000	0.000	0.000	0.000	<b>189.229</b>	<b>0.000</b>
x	3X70+1X16+1X50 Sqmm	KM	0.000	0.000	3.990	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>3.990</b>	<b>0.000</b>
xi	3X95+1X16+1X70 Sqmm	KM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	2.499	0.000	0.000	<b>2.499</b>	<b>0.000</b>
<b>18</b>	<b>STEEL SECTIONS</b>																
i	Rail Pole	MT	7.550	0.000	4.150	0.000	3.280	0.000	4.13	0.000	0.000	0.000	4.110	0.000	0.000	<b>23.220</b>	<b>0.000</b>
ii	H-Beam 152 x 152 mm	MT	49.259	0.000	0.000	0.000	64.410	0.000	200.796	0.000	95.050	0.000	48.985	0.000	0.000	<b>458.500</b>	<b>0.000</b>
iii	RS Joist 175 x 85 mm	MT	109.583	0.000	44.196	0.000	58.700	0.000	20.805	0.000	119.570	0.000	18.540	0.000	0.000	<b>371.394</b>	<b>0.000</b>
iv	MS Angle 75 x 75 x 6 mm	MT	0.380	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.380</b>	<b>0.000</b>
v	MS Angle 65 x 65 x 6 mm	MT	49.287	0.000	68.995	0.000	164.360	0.000	35.594	0.000	175.832	0.000	10.118	0.000	0.000	<b>504.186</b>	<b>0.000</b>
vi	MS Angle 50 x 50 x 6 mm	MT	9.134	0.000	0.000	0.000	0.000	0.000	22.000	0.000	9.708	0.000	0.655	0.000	0.000	<b>41.497</b>	<b>0.000</b>
vii	MS Channel 100 x 50 x 5 mm	MT	227.740	0.000	68.141	0.000	223.420	0.000	238.264	0.000	299.690	0.000	164.145	0.000	0.000	<b>1221.400</b>	<b>0.000</b>
viii	MS Channel 75 x 40 x 6 mm	MT	0.000	0.000	0.000	0.000	5.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>5.000</b>	<b>0.000</b>
ix	MS Channel 65 x 65 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.00	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
x	MS Flat 75 x 6 mm	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
xi	MS Flat 65 x 8 mm	MT	110.845	0.000	21.920	0.000	13.620	0.000	51.927	0.000	14.200	0.000	17.260	0.000	0.000	<b>229.772</b>	<b>0.000</b>
xii	MS Flat 50 x 6 mm	MT	5.440	0.000	10.470	0.000	37.360	0.000	0.000	0.000	28.360	0.000	25.000	0.000	0.000	<b>106.630</b>	<b>0.000</b>
<b>19</b>	<b>GI WIRES</b>																
i	6 SWG	MT	64.030	0.000	0.000	0.000	1.930	0.000	74.525	0.000	0.505	0.000	0.000	0.000	0.000	<b>140.990</b>	<b>0.000</b>
ii	8 SWG	MT	13.891	0.000	3.122	0.000	28.310	0.000	40.00	0.000	12.133	0.000	37.085	0.000	0.000	<b>134.541</b>	<b>0.000</b>
iii	10 SWG	MT	4.959	0.000	0.000	0.000	0.000	0.000	2.632	0.000	0.000	0.000	0.000	0.000	0.000	<b>7.591</b>	<b>0.000</b>
<b>20</b>	<b>STAY WIRES</b>																
i	7/8 SWG	MT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
ii	7/10 SWG	MT	0.000	0.000	0.000	0.000	8.050	0.000	42.878	0.000	33.297	0.000	54.469	0.000	0.000	<b>138.694</b>	<b>0.000</b>
<b>21</b>	<b>HARDWARES</b>																
i	LT SHACKLE H/W 90X75	Nos.	28834	0	0	0	0	0	0	0	0	0	0	0	0	<b>28834</b>	<b>0</b>
ii	11 KV H/W	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	33 KV H/W	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iv	33 KV H/W (Panther)	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>22</b>	<b>INSULATORS</b>																
i	SHACKLE 90 X 75	Nos.	24948	0	0	0	0	0	0	0	0	0	0	0	0	<b>24948</b>	<b>0</b>
ii	SHACKLE 65 X 50	Nos.	40863	0	0	0	0	0	0	0	0	0	0	0	0	<b>40863</b>	<b>0</b>
iii	STAY INSULATOR 90X65	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
vii	11 KV Polymer Pin Insulator	Nos.	0	0	0	2600	100	0	0	5017	800	0	0	1600	0	<b>900</b>	<b>9217</b>



**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.3.2018**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
ii	BATTERY CHARGER	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>36</b>	<b>OIL X-MER</b>															
i	Fresh Oil	KL	64.810	0.000	40.149	0.000	25.600	0.000	20.039	0.000	65.000	0.000	26.998	0.000	<b>242.596</b>	<b>0.000</b>
ii	Reclaimed Oil	KL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	<b>0.000</b>	<b>0.000</b>
iii	Burnt Oil	KL	0.000	0.000	30.000	0.000	20.000	0.000	16.379	0.000	44.610	0.000	51.000	0.000	<b>161.989</b>	<b>0.000</b>
<b>37</b>	<b>Male Female Contact suitable for</b>															
i	11 KV A.B.Switch	No.	95	0	0	125	0	0	895	0	0	0	0	0	<b>990</b>	<b>125</b>
ii	33 KV A.B.Switch	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>38</b>	<b>ALU. LUGS</b>															
i	16 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	25 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	35 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iv	70 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
v	150 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
vi	300 Sq.mm	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>39 (a)</b>	<b>DPC Aluminium Round Wire</b>															
i	0.79 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>0.00</b>	<b>0.00</b>
i	0.81 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>0.00</b>	<b>0.00</b>
ii	1.03 mm	Kg.	1406.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>1406.70</b>	<b>0.00</b>
iii	1.25 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>0.00</b>	<b>0.00</b>
iv	1.33 mm	Kg.	976.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.000	0	<b>976.9</b>	<b>0.00</b>
v	1.60 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.000	0	<b>0.00</b>	<b>0.00</b>
vi	1.70 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>0.00</b>	<b>0.00</b>
vii	2.00 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>0.00</b>	<b>0.00</b>
viii	2.20 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>0.00</b>	<b>0.00</b>
<b>39 (b)</b>	<b>DPC Aluminium Rectangular Wire</b>															
i	11 X 4 mm	Kg.	1325.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>1325.25</b>	<b>0.00</b>
ii	11 X 5.5 mm	Kg.	3250.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>3250.49</b>	<b>0.00</b>
iii	7.2 X 5.5 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0	<b>0.00</b>	<b>0.00</b>
iv	7.25 X 3.13 mm	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0	<b>0.00</b>	<b>0.00</b>
v	10.6 x 4.6 mm	Kg.	678.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.000	0	<b>678.30</b>	<b>0.00</b>
<b>40 (a)</b>	<b>DPC Copper Round Wire</b>															
i	1.95 mm dia	Kg.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.000	0	<b>0.00</b>	<b>0.00</b>
<b>40 (b)</b>	<b>DPC Copper Rectangular Wire</b>															
i	8.4 X 3.7 mm	Kg.	780.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	<b>780.75</b>	<b>0.00</b>
<b>41</b>	<b>HV / LV Brass Stud for Dist.X-mer</b>															
i	LV 20 MM	No.	0	0	0	0	0	0	5405	0	0	0	0	0	<b>5405</b>	<b>0</b>
ii	HV	No.	0	0	0	0	0	0	1400	0	0	0	0	0	<b>1400</b>	<b>0</b>
<b>42</b>	<b>TPC Copper Strips</b>	Kg.	0	0	0	0	0	0	0.0	0	0	0	0.0	0	<b>0</b>	<b>0</b>
<b>43</b>	<b>Press Board</b>															
i	1 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	2 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	3 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>44</b>	<b>Kraft Paper</b>	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>45</b>	<b>Gasket Sheet</b>															
i	5 MM	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	6 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	9 MM	Kg.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>46</b>	<b>HRC Fuse Base &amp; Link -</b>		<b>0</b>													
i	Base - 250 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	Base - 300 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iii	Base - 400 Amp.	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
iv	Link - 250 Amp./200 Amp	No.	613	0	0	0	0	0	0	0	0	0	0	0	<b>613</b>	<b>0</b>



**STOCK POSITION OF GENERAL MATERIAL LYING IN AREA STORES AS ON 31.3.2018**

No.	NAME OF MATERIALS	UNIT	INDORE		BARWAHA		DHAR		UJJAIN		RATLAM		MANDSAUR		TOTAL	
			Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T	Clear	U/T
<b>64</b>	<b>HT Meter Box</b>															
i	HT Meter Box	Nos.	85	222	0	0	0	0	0	0	0	0	0	0	<b>85</b>	<b>222</b>
<b>65</b>	<b>BI-METALLIC CLAMPS</b>															
i	LV	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
ii	HV	No.	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>	<b>0</b>
<b>66</b>	<b>BPL Service Connection Kit</b>	Nos.	6700	0	4500	18427	5440	14327	6500	1500	0	0	0	0	<b>23140</b>	<b>34254</b>